

## CHAINWAY C61-VC



Chainway C61-VC v.13 -- Comprehensive inventory with Zebra SE4750SR+ UHF RFID 2D scanner, 3GB RAM and 32GB ROM, durable battery

|                                     |                                              |
|-------------------------------------|----------------------------------------------|
| <b>Category:</b>                    | UMPC - Ruggedized                            |
| <b>Manufacturer:</b>                | CHAINWAY                                     |
| <b>Operating System:</b>            | Android 11 GMS                               |
| <b>Display:</b>                     | 4"   TN   Multi-touch Low Temperature        |
| <b>Brightness:</b>                  | -----                                        |
| <b>Processor:</b>                   | Qualcomm Snapdragon 662 (8x1.8GHz)           |
| <b>Memory:</b>                      | <b>3 GB</b>                                  |
| <b>Hard Drive:</b>                  | -----                                        |
| <b>Flash Memory:</b>                | 32GB                                         |
| <b>Touch screen:</b>                | Yes                                          |
| <b>Durability:</b>                  | IP65                                         |
| <b>Drop:</b>                        | 1,8m                                         |
| <b>Shock:</b>                       | -----                                        |
| <b>Vibration:</b>                   | Yes                                          |
| <b>Temperature:</b>                 | Working: -20°C -- 50°CStorage: -40°C -- 70°C |
| <b>Humidity:</b>                    | 5% -- 95%                                    |
| <b>1D barcode scanner (reader):</b> | -----                                        |

|                                                    |                                                         |
|----------------------------------------------------|---------------------------------------------------------|
| <b>2D barcode scanner (reader):</b>                | <b>2D Zebra SE4750SR</b>                                |
| <b>RFID scanner (reader):</b>                      | <b>Indy Impinj R2000</b>                                |
| <b>Other:</b>                                      | -----                                                   |
| <b>Battery:</b>                                    | 6400+100mAh Li-Ion Low Temperature                      |
| <b>Working time on battery:</b>                    | -----                                                   |
| <b>Fast battery replacement ability:</b>           | No                                                      |
| <b>HotSwap battery:</b>                            | Yes                                                     |
| <b>LAN:</b>                                        | No                                                      |
| <b>WLAN:</b>                                       | 802.11 a/b/g/n/ac/d/e/h/i/k/r/v                         |
| <b>Bluetooth:</b>                                  | Bluetooth 4.2                                           |
| <b>WAN:</b>                                        | 4G LTE                                                  |
| <b>GPS:</b>                                        | Built-in                                                |
| <b>Camera:</b>                                     | Back: 13Mpx (Flash)                                     |
| <b>In/Out:</b>                                     | USB Type-C, USB 3.0, 1x Micro SIM + 1x TF + 1x Micro SD |
| <b>Docking station connector:</b>                  | Yes                                                     |
| <b>VESA standard – holders and mounts support:</b> | No                                                      |
| <b>COM port:</b>                                   | No                                                      |
| <b>Magnetic card reader (MSR):</b>                 | No                                                      |
| <b>Microchip card reader:</b>                      | No                                                      |
| <b>Contrast:</b>                                   | -----                                                   |
| <b>Graphics card:</b>                              | -----                                                   |
| <b>Chipset:</b>                                    | -----                                                   |
| <b>BIOS:</b>                                       | -----                                                   |
| <b>Casing material:</b>                            | Plastic + Rubber                                        |
| <b>Flash Card Reader:</b>                          | microSD (max. 128GB)                                    |
| <b>CD/DVD:</b>                                     | -----                                                   |
| <b>Audio:</b>                                      | Built-in microphone and speaker                         |
| <b>Keyboard:</b>                                   | 2 scan keys + 2 volume keys + 1 user-defined key        |

|                                        |                      |
|----------------------------------------|----------------------|
| <b>Additional Navigation Devices :</b> | -----                |
| <b>Color:</b>                          | Black                |
| <b>Swivel Hinge:</b>                   | -----                |
| <b>VGA out:</b>                        | No                   |
| <b>TV Out:</b>                         | -----                |
| <b>TV Tuner:</b>                       | No                   |
| <b>Security:</b>                       | -----                |
| <b>Waterproof:</b>                     | IPX5                 |
| <b>Sand and dust:</b>                  | IP6X                 |
| <b>Size:</b>                           | 202x72.5x32mm - 370g |
| <b>Fanless casing:</b>                 | Yes                  |
| <b>Weight:</b>                         | 370g                 |

**3 686,31 zł**

net price: 2 997,00 zł

# CHAINWAY C61-VC



## SPECIFICATION

## RESISTANCE

## WIRELESS COMMUNICATION

## FUNCTIONALITY

## APPLICATION

## AVAILABLE VERSIONS AND ACCESSORIES

Chainway C61-VC is a modern, waterproof industrial smartphone designed for extreme applications. It has a specially designed, reinforced construction that

meets the requirements of IP65, which confirms the protection of the device against dust and water.



**SPECIFICATION**

| Chainway C61-VC  |                                    |
|------------------|------------------------------------|
| Processor        | Qualcomm Snapdragon 662 (8x1.8GHz) |
| Operating system | Android 11 GMS                     |
| RAM              | 3GB                                |
| ROM              | 32GB                               |
| Display          | 4", 800x480                        |
| Touch screen     | Multi-touch Low Temperature        |
| Battery          | 6400+100mAh Low Temperature        |

| Chainway C61-VC |                                       |
|-----------------|---------------------------------------|
| Camera          | 13Mpx Back + Flash                    |
| Protection      | IP65   1.8m. drops                    |
| Communication   | 4G   Bluetooth   Wi-Fi   GPS          |
| Connectors      | USB 3.0                               |
| Memory card     | Micro SD (max. 128 GB)                |
| SIM card        | Micro SIM                             |
| NFC             | YES                                   |
| RFID Reader     | NFC 13,56MHz<br>UHF Indy Impinj R2000 |
| 2D Scanner      | Zebra SE4750SR                        |



Detailed specification of the device is available in the tab "Technical data ".

Dustproof industrial smartphone  
Chainway C61-VC  
was equipped with high performance, energy-efficient Qualcomm Snapdragon 662 processor. Inside, there are eight cores that allow for more efficient processing of multiple tasks simultaneously. Shared caching, which uses a multi-level hierarchy, is dynamically allocated to each processor core according to the load. This reduces the average access time to main memory. Enhanced graphics card technology lets you enjoy full HD video and movies. Low power consumption guarantees long battery life.

### Ergonomic design



Chainway

C61-VC

industrial smartphone is designed for resistance and convenience. The sleek and rugged 32mm thick design and stylish case will make the smartphone very well suited for industrial use and more. The unique size has been carefully thought out to make the device more comfortable and ergonomic. The non-slip casing makes it safe and secure to hold it in your hand, and the rubber corners further protect your device against possible damage as a result of falls.

|                   |                       |
|-------------------|-----------------------|
| <b>Dimensions</b> | 202mm x 72.5mm x 32mm |
| <b>Weight</b>     | 370g                  |

## Keypad



Chainway C61 collector has three types of keyboards to choose. The keyboard can have: 27 keys, 37 keys, or 47 keys. Only the keyboard with 27 keys is with backlight

. Please indicate when buying which version of the keyboard you choose. The choice of the keyboard version does not affect the price of the device.

# 27 Keys



# 37 Keys



# 47 Keys



RESISTANCE



## IP65 Protection

The IP standard defines the degree of protection provided by the enclosure of an electrical device against such factors as: access to dangerous parts inside the enclosure, penetration of foreign matter, splashing or immersion.

|             |                                                                                                               |
|-------------|---------------------------------------------------------------------------------------------------------------|
| <b>IP6X</b> | No ingress of dust, complete protection against contact. A vacuum must be applied. Test duration of up to 8 h |
| <b>IPX5</b> | Water projected by a nozzle (6.3 mm) against enclosure from any direction shall have no harmful               |

## 1.8m drop resistance

Specially designed construction gives the machine a chance of accidental falls from up to 1.8 meters in operating mode, even on hard surfaces. In addition, the smartphone screen is protected by specially tempered glass Gorilla Glass.

Extreme temperatures

Chainway

C61-VC

is suitable for continuous operation in both low and high temperatures in the range of -20 ° C to 50 ° C. When the device is off, it can handle temperatures ranging from -40 ° C to 70 ° C. In addition, the rugged industrial smartphone performs well in rooms with increased humidity, ensuring proper operation even with 95% relative humidity.

|               |               |
|---------------|---------------|
| Working Temp. | -20°C do 50°C |
| Storage Temp. | -40°C do 70°C |
| Humidity      | 5% do 95%     |

WIRELESS COMMUNICATION



### GPS Navigation

Waterproof smartphone Chainway C61-VC is equipped with a professional GPS module combining low power consumption with high accuracy. Navigation is fast and smooth, allowing you to easily and easily reach any destination.

### Bluetooth 4.2

Bluetooth enables wireless short-range communication between various electronic devices, such as the keyboard, computer, laptop, palmtop, mobile phone and many others. In the fourth version of this standard, energy

consumption was reduced considerably, at the expense of lower transfer costs, and real operating coverage increased.

### Wi-Fi network

Dual-band Wi-Fi provides fast network access wherever you can connect to secured or open Wi-Fi networks. This is a convenient solution for people who have a work or residence router and a wireless network that can be used at no extra cost. The shock-resistant industrial smartphone, is equipped with the latest 802.11ac technology, which allows file transfer speeds up to 1 Gb/s.

|                    |                    |
|--------------------|--------------------|
| <b>Standards</b>   | 802.11(a/b/g/n/ac) |
| <b>Frequencies</b> | 2.4GHz and 5GHz    |

### NFC

Near Field Communication - a short-range, high-frequency, radio communication standard that allows for wireless data exchange at a distance of up to several centimeters. The technology is a simple extension of ISO / IEC 14443 that combines the smart card interface and reader in one device. NFC devices can communicate with both existing devices in the ISO / IEC 14443 standard, as well as with other NFC devices, and thus are compatible with the existing and already in use public transport and payment infrastructure. NFC present in the device supports ISO / IEC 14443A / B and ISO15693 protocols. Working distance is 2-5 cm.

### FUNCTIONALITY



## Barcode Scanner

Quick and accurate identification of the object relieves the warehouseman and does not create a bottleneck in logistics processes. 2D barcode reader allows you to read, decode and send to your data stored in the bar code. With dynamic scanning capabilities Chainway C61-VC quickly and accurately retrieves the data, which helps to increase the rate and efficiency. You can jump-start a whole because with simplified installation procedure and intuitive, comfortable design to prepare the scanner to work is very easy.

2D

Zebra SE4750SR



## RFID

RFID technology has aroused great worldwide interest. Is expected to solve many of the problems with fast and faultless identification of people and equipment. Its development is more turbulent than gradually Introduced barcodes. RFID technology is cheap, reliable and versatile. RFID (Radio-Frequency Identification) is a technology used to identify objects and flow control products.

UHF Indy Impinj R2000 also has a pistol grip and a battery.

RFID UHF

UHF Indy Impinj R2000

## Android Enterprise

Chainway C61 is listed on Android Enterprise. Android Enterprise is a Google-led initiative to enable the use of Android devices and apps in the workplace. The program offers APIs and other tools for developers to integrate support for Android into their enterprise mobility management (EMM) solutions. Android Enterprise Recommended makes it easy for businesses to select, deploy, and manage Android devices and the appropriate services. Thanks to

this program, you can be sure that such devices and services meet the high requirements related to their use in the company, which is confirmed by their approval by Google. The link to the device on the Google list is [HERE](#).

## APPLICATION

### Trade and Services

Thanks to their size and light weight, smartphone data collectors are a useful tool for sales representatives. Today's applications running under the collector system enable even entering the data collector's contractor database, which allows us to later search for it quickly by name or NIP number. We can do the same with our commodity base, which can work in parallel with the database of contractors. Additional use of collectors in the trade, such as sending orders or invoices directly to the company through the GSM network or Wi-Fi.



### Industry and Construction

Industrial smartphones and data collectors are characterized by high resistance to adverse working conditions. Tightness, dust and water resistance of enclosures, certified by IP (dust and water resistance standards), can withstand even the harshest conditions in industrial infrastructure or on

the construction site. With appropriate applications, collectors can be used for control and control of various industrial processes, as well as for data collection and analysis.



## Warehouse

An industrial data sheet is the ideal solution for quick stocktaking. In addition, depending on the software used, it streamlines the process of entering and delivering goods into the warehouse, enables price control and dispensing, helps to collect and order orders, and identifies customers and servicing the rental. The advantages of using data collectors are undoubtedly: time savings, customer satisfaction thanks to the correct price and speed of operation.



## AVAILABLE VERSIONS AND ACCESSORIES

The industry-leading Chainway C61-VC smartphone is available in several versions to suit different needs. By clicking on the hardware configuration number you will be redirected to the product with the parameters given in the table below. In addition, on request, you can create a configuration not currently available in the offer.

|                                     | v.1 | v.2  | v.3  | v.4  | v.6  | v.7  | v.8 |
|-------------------------------------|-----|------|------|------|------|------|-----|
| 2D Zebra SE4710                     | —   |      | —    | —    | —    | —    | —   |
| 2D Newland NLS-CM60 V3.0            | —   | —    |      | —    | —    | —    | —   |
| 2D Zebra SE4850                     | —   | —    | —    |      | —    | —    | —   |
| 2D Coasia IA166S                    | —   | —    | —    | —    | —    | —    | —   |
| 2D Zebra SE4750SR                   | —   | —    | —    | —    |      | —    | —   |
| 2D Zebra SE4750MR                   | —   | —    | —    | —    | —    |      | —   |
| 6400+100mAh battery LOW TEMPERATURE |     |      |      |      |      |      |     |
| 4" touch screen LOW TEMPERATURE     |     |      |      |      |      |      |     |
| UHF Indy Impinj R2000               | —   | —    | —    | —    | —    | —    |     |
|                                     | v.9 | v.10 | v.11 | v.12 | v.13 | v.14 |     |
| 2D Zebra SE4710                     |     | —    | —    | —    | —    | —    |     |
| 2D Newland NLS-CM60 V3.0            | —   |      | —    | —    | —    | —    |     |

|                                           |   |   |   |   |   |  |   |
|-------------------------------------------|---|---|---|---|---|--|---|
| 2D Zebra<br>SE4850                        | — | — |   | — | — |  | — |
| 2D Coasia<br>IA166S                       | — | — | — |   | — |  | — |
| 2D Zebra<br>SE4750SR                      | — | — | — | — |   |  | — |
| 2D Zebra<br>SE4750MR                      | — | — | — | — | — |  |   |
| 6400+100mAh<br>battery LOW<br>TEMPERATURE |   |   |   |   |   |  |   |
| 4" touch<br>screen LOW<br>TEMPERATURE     |   |   |   |   |   |  |   |
| UHF Indy<br>Impinj R2000                  |   |   |   |   |   |  |   |



More pictures available in the "Gallery " tab.