



Emdoor I22J v.7 - Rugged tablet with NFC technology, 8GB RAM and 128GB ROM, 8MPx camera, IP65 resistance standard and a capacious 6300mAh battery

<b>Category:</b>	UMPC - Ruggedized
<b>Manufacturer:</b>	EMDOOR
<b>Operating System:</b>	Windows 11 Home (optional) Windows 11 PRO (optional) Windows 10 IoT (optional)
<b>Display:</b>	12.2" 1920x1200, 16:10
<b>Brightness:</b>	-----
<b>Processor:</b>	Intel Jasper Lake N5100 (4x 1.10 GHz)
<b>Memory:</b>	<b>8GB RAM</b>
<b>Hard Drive:</b>	128GB SSD
<b>Flash Memory:</b>	-----
<b>Touch screen:</b>	Capacitive   10 point touch   G+G
<b>Durability:</b>	IP65
<b>Drop:</b>	1.2m
<b>Shock:</b>	MIL-STD-810G
<b>Vibration:</b>	MIL-STD-810G
<b>Temperature:</b>	Operating temperature: -20°C -- 60°C Storage temperature: -30°C -- 70°C
<b>Humidity:</b>	0% -- 95%
<b>1D barcode scanner (reader):</b>	Honeywell N3680 (optional)

<b>2D barcode scanner (reader):</b>	Honeywell N3680 (optional)
<b>RFID scanner (reader):</b>	<b>NFC 13,56MHz</b>
<b>Other:</b>	5G (optional)
<b>Battery:</b>	1000+6300mAh/7.4V   Li-polymer
<b>Working time on battery:</b>	1+8 hours
<b>Fast battery replacement ability:</b>	Yes
<b>HotSwap battery:</b>	Yes
<b>LAN:</b>	RJ45 x1
<b>WLAN:</b>	IEEE 802.11 a/b/g/n/ac - 2.4G/5.8G (Dual-Band)
<b>Bluetooth:</b>	Bluetooth 5.0
<b>WAN:</b>	LTE FDD: B1/B3/B7/B8/B20/ B28A WCDMA: B1/B8 GSM: B3/B8
<b>GPS:</b>	Yes
<b>Camera:</b>	Rear: 8Mpx Front: 5Mpx
<b>In/Out:</b>	HDMI 1.4a   USB Type-C   USB 3.0 x2   USB 2.0   SIM   TF 12pins Pogo Pin   RS232   RJ45   RS485   3.5mm Jack   4mm DC
<b>Optional accessories:</b>	Holder / shoulder strap, wrist strap, shoulders strap, car holder, suitcase handle
<b>Docking station connector:</b>	Yes
<b>VESA standard – holders and mounts support:</b>	No
<b>COM port:</b>	RS232 x1
<b>Magnetic card reader (MSR):</b>	No
<b>Microchip card reader:</b>	No
<b>Contrast:</b>	-----
<b>Graphics card:</b>	-----
<b>Chipset:</b>	-----
<b>BIOS:</b>	-----
<b>Casing material:</b>	ABS/PC
<b>Flash Card Reader:</b>	TF card (max. 128GB)

<b>CD/DVD:</b>	-----
<b>Audio:</b>	Built-in microphone and speaker
<b>Keyboard:</b>	Onscreen
<b>Additional Navigation Devices :</b>	-----
<b>Color:</b>	Black
<b>Swivel Hinge:</b>	-----
<b>VGA out:</b>	No
<b>TV Out:</b>	-----
<b>TV Tuner:</b>	No
<b>Security:</b>	-----
<b>Waterproof:</b>	IPX5
<b>Sand and dust:</b>	IP6X
<b>Size:</b>	320mm x 216mm x 24mm
<b>Fanless casing:</b>	Yes
<b>Weight:</b>	1500g

**1 150,35 €**

net price: 935,24 €

# Emdoor **I22J**

*Industrial tablet with reinforced construction,  
designed to work under the harshest conditions.*



**SPECIFICATION**

**RESISTANCE**

**DATA COLLECTING**

**WIRELESS COMMUNICATION**

**APPLICATION**

**ACCESSORIES AND AVAILABLE VERSIONS**

Emdoor I22J is a modern, waterproof industrial tablet designed for extreme applications. It has a specially designed, reinforced construction that meets the requirements of IP65, which confirms the protection of the device against


dust and water.

## SPECIFICATION

Emdoor I22J	
Processor	Intel Jasper Lake N5100 (4x 1.10 GHz)
Operating system	Windows 11 Home * (optional) Windows 11 PRO * (optional) Windows 11 IOT Enterprise * (optional)
RAM	8GB 4GB * (optional)
SSD	128GB
Display	12.2" IPS, 1920x1200, 16:10
Touch screen	Capacitive (10-point), G+G
Battery	1000mAh/7.4V   Li-polymer   1h. work 6300mAh/7.4V   Li-polymer   8h. work
Voltage	AC100V-240V, 50Hz/60Hz, DC 19V/3.42A
Camera	5Mpx Front   8Mpx Rear
Protection	IP65   1.2m drops   MIL-STD 810G
Communication	4G LTE   Bluetooth 5.0   Wi-Fi   GPS NFC   5G * (optional)
Connectors	HDMI 1.4a   USB Type-C   USB 3.0 x2   USB 2.0   SIM   TF   12pins Pogo Pin   RS232   RJ45   RS485 3.5mm Jack   4mm DC
Memory card	TF slot (max. 128GB)
SIM card	SIM
AR Film	NO * (optional)

Emdoor I22J	
Scanner 2D	Honeywell N3680 * (optional)

\* Optional equipment, available on specific versions only.

 Detailed device specification is available in the "Technical data".

Dustproof industrial tablet Emdoor I22J was equipped with high performance, energy-efficient Intel Jasper Lake N5100 (4x 1.10 GHz) processor. Inside, there are four cores that allow for more efficient processing of multiple tasks simultaneously. Shared caching, which uses a multi-level hierarchy, is dynamically allocated to each processor core according to the load. This reduces the average access time to main memory. Enhanced graphics card technology lets you enjoy full HD video and movies. Low power consumption guarantees long battery life.


### Ergonomic design



Emdoor I22J industrial tablet is designed for resistance and convenience. The sleek and rugged 24mm thick design and stylish case will make the tablet very well suited for industrial use and more. The unique size has been carefully thought out to make the device more comfortable and ergonomic. The non-slip casing makes it safe and secure to hold it in your hand, and the rubber corners further protect your device against possible damage as a result of falls.

<b>Dimensions</b>	320mm x 216mm x 24mm
<b>Net weight</b>	1500g

### Capacitive screen





With the capacitive screen, the reaction of the device is not to directly press the screen, but to change the electrostatic field at the point where the device is touched. This allows for much more precise handling and gentle brushes on the screen. In addition, we can use multitouch technology, the ability to control our tablet with a few fingers at once.

Connectors



## DATA COLLECTING

Barcode scanner (optional)



*Skaner kodów 2D*

**Honeywell**

**N3680**

The barcode reader allows you to read, decode and send data stored in the barcode to a computer. With dynamic scanning capabilities and a large reading range, the tablet collects data accurately, helping to increase the pace and efficiency of your work. The whole thing can be started quickly, because thanks to the simplified installation procedure and the intuitive, comfortable design, preparing the scanner for operation is very easy.

2D Scanner	Honeywell N3680 *
------------	-------------------

\* Optional equipment, available on specific versions only.

**RESISTANCE**



## IP65 Protection

The IP standard defines the degree of protection provided by the enclosure of an electrical device against such factors as: access to dangerous parts inside the enclosure, penetration of foreign matter, splashing or immersion.

<b>IP6X</b>	No ingress of dust, complete protection against contact. A vacuum must be applied. Test duration of up to 8 hours based on air flow.
<b>IPX5</b>	Protection against water jets (12.5 l / min) poured on the housing from any side



### MIL-STD 810 Standard

The MIL-STD-810 is a strict military standard used in the United States Army. It determines the immunity of the equipment to severe environmental and weather conditions such as extreme low and high temperatures, temperature changes, rain or dust, as well as various accidents (shocks, floods, high altitude falls, etc.). Although the MIL-STD-810 is mainly used for military equipment, it is often used by private companies that produce equipment that requires unmatched durability.

### 1.2m drop resistance

Specially designed construction gives the machine a chance of accidental falls from up to 1.2 meters in operating mode, even on hard surfaces.

### Extreme temperatures

Emdoor I22J is suitable for continuous operation in both low and high

temperatures in the range of -20 ° C to 60 ° C. When the device is off, it can handle temperatures ranging from -30 ° C to 70 ° C. In addition, the rugged industrial tablet performs well in rooms with increased humidity, ensuring proper operation even with 95% relative humidity.

<b>Working Temp.</b>	-20°C to 60°C
<b>Storage Temp.</b>	-30°C do 70°C
<b>Humidity</b>	0% do 95%

## WIRELESS COMMUNICATION

### 4G Module

4G technology is based on a radio network with fast transmission and the rare occurrence of downtime or transfer errors. The main distinguishing feature of the 4G from its predecessor (3G) is the speed of transfer between devices. The fourth generation network offers 100 Mb / s of mobile internet speed and 25 Mb / s of packet transfer. Technology enables users, including: extremely fast radio networks, Internet access, personalized telephony, and access to modern media and games services.


### GPS Navigation

Waterproof tablet Emdoor I22J is equipped with a professional GPS module with GLONASS support, combining low power consumption with high accuracy. Navigation is fast and smooth, allowing you to easily and easily reach any

destination.

## Bluetooth 5.0

Bluetooth enables wireless short-range communication between various electronic devices, such as the keyboard, computer, laptop, palmtop, mobile phone and many others. In the fourth version of this standard, energy consumption was reduced considerably, at the expense of lower transfer costs, and real operating coverage increased.




## Wi-Fi network

Dual-band Wi-Fi provides fast network access wherever you can connect to secured or open Wi-Fi networks. This is a convenient solution for people who

have a work or residence router and a wireless network that can be used at no extra cost. The shock-resistant industrial tablet is equipped with the latest 802.11ac technology, which allows file transfer speeds up to 1300 Mb/s.

<b>Standards</b>	802.11(a/b/g/n/ac)
<b>Frequencies</b>	2.4G/5.8G (Dual-Band)



NFC

Near Field Communication - a short-range, high-frequency, radio communication standard that allows for wireless data exchange at a distance of up to several centimeters. The technology is a simple extension of ISO / IEC 14443 that combines the smart card interface and reader in one device. NFC devices can communicate with both existing devices in the ISO / IEC 14443 standard, as well as with other NFC devices, and thus are compatible with the existing and already in use public transport and payment infrastructure. NFC present in the device supports ISO / IEC 14443A / B and ISO15693 protocols. Working distance is 2-4 cm. NXP300

NFC 13.56MHz



Endoor

## APPLICATION

Trade and Services

Multifunctionality and simple operation, tablets are a useful tool for sales representatives. Modern applications working under the tablet system allow, for example, to enter a database of contractors into the tablet's memory, which later allows us to quickly search for it by name or NIP number. We can do the same in the case of our commodity base, which can work in parallel with the base of contractors. Additional use of tablets in trade is, for example, sending orders or invoices directly to the company via GSM or Wi-Fi.



## Industry and Construction

Industrial tablets are characterized by high resistance to adverse working conditions. Tightness, dust and water resistance of enclosures, certified by IP (dust and water resistance standards) and often MIL-STD military standard, can withstand even the harshest conditions in industrial infrastructure or on the construction site. With appropriate applications, tablets can be used for control and control of various industrial processes, as well as for data collection and analysis.



## Warehouse

An industrial data sheet is the ideal solution for quick stocktaking. In addition, depending on the software used, it streamlines the process of entering and delivering goods into the warehouse, enables price control and dispensing, helps to collect and order orders, and identifies customers and servicing the rental. The advantages of using tablets are undoubtedly: time savings, customer satisfaction thanks to the correct price and speed of operation.



## ACCESSORIES AND AVAILABLE VERSIONS

The industry-leading Emdoor I22J tablet is available in several versions to suit different needs. By clicking on the hardware configuration number you will be redirected to the product with the parameters given in the table below. In addition, on request, you can create a configuration not currently available in the offer.



More photos in full resolution available in the "Gallery".

	v.1	v.2	v.3	v.4	v.5	v.6	v.7	v.8	v.9	v.10
4GB RAM	+	+	+	+	+	-	-	-	-	-
8GB RAM	-	-	-	-	-	+	+	+	+	+
NFC	-	+	+	+	+	-	+	+	+	+
5G	-	-	+	-	+	-	-	+	-	+
Scanner 2D Honeywell	-	-	-	+	+	-	-	-	+	+
Windows 11 Pro	-	-	-	-	+	-	-	-	-	+