



## Fanless Industrial Computer MiniPC moBOX-3001b v.2



|                                 |  |
|---------------------------------|--|
| <b>Category:</b>                | MiniPC Industry                          |
| <b>Manufacturer:</b>            | Mobikator                                |
| <b>Supported OS:</b>            | Microsoft Windows: XP/7, Linux           |
| <b>Installed OS:</b>            | -----                                    |
| <b>Chipset:</b>                 | Intel® NM10                              |
| <b>CPU Support:</b>             | -----                                    |
| <b>Installed CPU:</b>           | Intel Atom N2600 (2x1.6GHz)              |
| <b>Graphic Card:</b>            | Intel HD Graphics                        |
| <b>Memory Support:</b>          | 4GB DDR3 (can up to 4GB)                 |
| <b>Installed Memory:</b>        | 4GB DDR3                                 |
| <b>Storage (HDD) Support:</b>   | -----                                    |
| <b>Installed Storage (HDD):</b> | 1 TB HDD                                 |
| <b>IP Norm:</b>                 | -----                                    |
| <b>Temp:</b>                    | -10 ~ 50                                 |
| <b>Storage temperature:</b>     | -20 - 60                                 |
| <b>Humidity:</b>                | 0 ~ 95%                                  |
| <b>Others:</b>                  | Colour: Steel Gray, Case Aluminium alloy |
| <b>LAN:</b>                     | 2x Intel RTL8111E 1000M RJ45             |

|                             |   |
|-----------------------------|---|
| <b>Wireless LAN card:</b>   | No  |
| <b>3G:</b>                  | No (optional Yes)   |
| <b>Bluetooth:</b>           | -----   |
| <b>Rear Panel (ports):</b>  | 2x USB 2.0 2x USB 3.0 2x RJ45 1x Audio 1x Mic 1x VGA 1x DC-in |
| <b>Front Panel (ports):</b> | 4x COM(RS232)   |
| <b>Expansion:</b>           | -----   |
| <b>Power:</b>               | 12V   |
| <b>Watch Dog Timer:</b>     | 0 ~ 255 sec   |
| <b>CD/DVD Drive:</b>        | -----   |
| <b>TV Tuner:</b>            | -----   |
| <b>Dimensions:</b>          | 232 x 154 x 40 mm   |
| <b>Fanless:</b>             | Yes   |
| <b>Weight:</b>              | 1.3 kg  |

**Product from the Archive - production finished**



## Industrial Fanless

Fanless industrial PCs are excellent in environments dominated by dust, dirt and moisture. They are ideal for applications that require quiet operation. Small and reliable MiniPC use heat-pipe technology and aluminum fans for passive cooling.

**moBOX-3001b** is a series of devices for industrial applications requiring continuous operation - 24 hours, 7 days a week.

[go top . . .](#)


Housing dimension are **232 (W) x 154 (L) x 40 (H) mm**. Housing is made of high quality aluminum what ensures a very high resistance to mechanical damages. This model with weight of only **1.3 kg** is ready at any time for operation even in extreme conditions such as heat, cold, vibration.

Using the latest technology Digital Engine (industrial fanless MiniPC) is designed for continuous multitasking operating with low power consumption. An important advantage is the effective combination of small size with considerable opportunities through the use of Intel's processor family, Intel chipset and **DDR3** memory. Integrated **Intel HD Graphics** video and audio **Realtek ALC662** allow you to play a wide range of applications and media files (video, audio) - in Full HD quality. Disks offer free space from **64GB SSD** or **320GB HDD** to **1TB HDD**.




[go top . . .](#)

Integrated card - **Intel RTL8111E 1000M Lan** (optional 3G module) allows you to connect the device to the network. The computer is equipped with: two connectors **LAN**, four **COM** ports (RS232), one **VGA**, two **USB 2.0** ports, two **USB 3.0** ports, one **audio** input, one **microphone** input.



1. 4x COM (RS-232)

2. 1x Power



1. 1x Mic

2. 1x Audio

3. 2x USB 2.0

4. 2x RJ45

5. 2x USB 3.0

6. 1x VGA

7. DC-IN 12V



## Cooling

The industrial fanless MiniPC moBOX-3001b uses a special method of cooling. This cooling takes place mainly by means of housing having a very large surface (longitudinal lamellae, ribs) - for heat dissipation. Fan used inside the computer is designed to rapidly drain hot air from the CPU, allowing MiniPC to reach more efficiently and faster cooling.

[go top . . .](#)



## Trade

Small, fanless computer can find various of commercial applications such as computer system for sale, for display informations about the products on monitors or ads on the big screens. With the help of handles combined with the housing there are many mounting possibilities - such as: in shops (at the cash register, at the back of monitors for LCD / LED), in factories halls, in the cars which are used for distribute different kind of products, etc.,

will certainly find application in all kinds of networks trade.



New Portable Devices | NIP: 872-120-56-82 | Mobile.: +48 508 235 505 | e-mail: sklep@mobilator.pl  
Account number: ALIOR BANK SA 68 2490 0005 0000 4500 2328 8078



Magazine

