

HyBox H3 - Celeron



HyBOX H3 - Celeron J4125 v.1 -
Przemysłowy miniPC do transportu z
procesorem Intel Celeron (4x 2.00GHz)
WiFi i 2x LAN, oraz dyskiem SSD - 3 LATA
GWARANCJI



Category:	MiniPC Industry
Manufacturer:	Mobilator
Others:	Color Black
Chipset:	Intel Chipset
CPU Support:	Intel Celeron
Installed CPU:	Intel Celeron J4125 (4x 2.00GHz)
Memory Support:	DDR4 (max. 16GB)
Installed Memory:	4GB DDR4
Graphic Card:	Intel HD Graphics
Storage (HDD) Support:	SSD/HDD mSATA/SATA
Installed Storage (HDD):	128 GB SSD
CD/DVD Drive:	-----
LAN:	Realtek Gigabit (10/100/1000 Mb/s) LAN
Wireless LAN card:	Full height Mini PCIe WiFi
Bluetooth:	No

3G:	-----
TV Tuner:	-----
Watch Dog Timer:	No
Front Panel (ports):	Włącznik 4xUSB 3.0 2x RS232
Rear Panel (ports):	2x RJ-45 LAN 1x HDMI DC 1xVGA 1x Audio Jack
Power:	12V
Supported OS:	Windows 10, Linux
Installed OS:	-----
Dimensions:	136 x 126 x 43 mm
Weight:	750g
Expansion:	-----
Fanless:	Yes
Humidity:	0% ~ 95%
Temp:	-10°C do 55°C
IP Norm:	-----
Storage temperature:	-10°C to 55°C

289,51 €

net price: 235,37 €

HyBox H3 - Celeron



TECHNICAL SPECIFICATION

RESISTANCE AND DURABILITY

CONNECTIVITY AND COMMUNICATION

DEVICE APPLICATION

AVAILABLE VERSIONS

Small dimensions industrial computers excel in environments where dust, dirt and moisture predominate. They are ideal for applications requiring quiet operation. Small and reliable MiniPC use heat-pipe technology and aluminum fins for passive cooling. The robust mini Industrial Computer HyBOX H3 is a device designed for all industrial and non-continuous applications

requiring continuous operation - 24 hours, 7 days a week.



Small dimensions

The compact housing means that the Mini PC will fit wherever you need it and is easy to carry.



Lightweight design

The computer's weight does not exceed 0.75 kg, so it can be conveniently carried in a bag or backpack.



Efficient components

The Intel Celeron J4125 quad-core CPU provides improved device performance.



Wireless network

The mini PC can be connected to nearby wireless networks by

equipping it with an optional Wi-Fi module.

SSD

Quick start

A modern SSD drive will increase the speed of application programs and ensure quiet computer operation.



Passive cooling


The use of passive cooling in the Mini PC ensures silent operation and slows dust deposition.

SPECIFICATION

HyBOX H3 - Celeron J1900-2	
Processor	Intel Celeron J4125 (4x 2.00GHz)
Operation system	Windows 10 *
RAM	4GB DDR4
Drive	128GB SSD
Graphic card	Intel® UHD Graphics 600

HyBOX H3 - Celeron J1900-2	
Connectivity	WLAN: 1x Half height Mini PCIe WiFi 2x External WiFi Antennas LAN: 2x Realtek Gigabit (10/100/1000Mbps)
Front panel	Power ON/OFF 4x USB 3.0 2x RS232
Rear panel	2x RJ-45 LAN 1x HDMI DC 1x VGA 1x Audio Jack
Available colors	Black
Dimensions	136 x 126 x 43 mm
Weight	0.75 kg

* Optional equipment, available only in specific versions of the device or on request.

 Detailed device specification is available in the "Technical data".


Efficient processor



The industrial mini-computer HyBOX H3 uses an efficient and energy-saving Intel Celeron J1900 processor. Inside it there are four cooperating cores enabling more efficient processing of many tasks at the same time. The shared cache memory in which the multilevel hierarchy is used is dynamically allocated to each

processor core depending on the load. This reduces the average access time to the main memory.

Interfaces



Dimensions



Thanks to the small dimensions of the MiniPC, the is versatile for use at home, in the office and in the industry, for example in the production hall. It's literally everywhere, and thanks to the VESA mount it can be mounted on the back of the monitor to optimize the job.

Dimensions	136 x 126 x 43 mm
Weight	0.75 kg

Passive cooling

The industrial Mini PC uses a proven cooling system, based only on solid elements, mainly heat sinks. The system uses the phenomenon of metals passing thermal energy into the environment - there are no additional moving elements in the form of eg fans. This solution ensures noiseless operation, lower failure rate and greater protection against dust and other dirt while reducing the amount of energy consumed.

RESISTANCE AND DURABILITY



Temperatures

HyBOX H3 is designed for continuous operation in both very low and high temperatures ranging from -10°C to 55°C. If the device is switched off, it can already handle temperatures in the range of -10°C to 55°C

Work temp.	-10°C do 55°C
Storage temp.	-10°C do 55°C
Work Humidity	0% to 95%
Storage Humidity	0% to 95%

Mechanical damage

The passive cooling system used in the MiniPC HyBOX H3 make this computer very resistant to various types of mechanical injuries. An additional advantage of industrial computers is a solid construction made of high quality aluminum and specially designed in such a way that in addition to high efficiency in heat dissipation, it can also resist any external damage.

CONNECTIVITY AND COMMUNICATION

Wireless network

The dual-band Wi-Fi module provides quick access to the network wherever you can connect to secured or open Wi-Fi networks. This is a convenient solution for people who have a router at home or place of residence and a wireless network that can be used at no extra charge. Industrial mini-PC HyBOX H3 has been equipped the standard of - Full height Mini PCIe WiFi , which allows transfer of files at a dizzying speed of up to 1000 Mb/s.

Wired LAN Network

The MiniPC HyBOX H3 has built-in Realtek network adapter that can work in a fast Gigabit Ethernet network.





DEVICE APPLICATION

Trade and service

Mini PC is an ideal tool to support us in the implementation of many activities in the field of trade, small dimensions increase the possibility of its adaptation to activities such as issuing invoices or preparing documentation, which in turn allows us to convenient and optimal sales management. The VESA holder mounted to the housing provides many installation options, eg in stores (at the cash register, under the desktop, behind the LCD / LED monitor), in factory halls or in a delivery truck.

VESA



Warehouse and logistics

Thanks high performance an industrial computer can be used to connect multiple devices in a warehouse and make their management much easier. Its rugged casing and the fanless cooling system are ideal for harsh environments in such rooms. The solid construction guarantees long-lasting work, even in environments with high dustiness and dirt.



Transport and motorization

A small industrial computer can be used in transport thanks to the ability to work on 12V power supply. Then the mini computer can be used in passenger cars, buses, trams, taxis, trains and even in airplanes. It allows you to inform the driver about the current state of the vehicle, transfer its current location to the management center, display information for passengers, etc. It performs well in vehicles where small dimensions are important.



More photos in full resolution available in the "Gallery".

AVAILABLE VERSIONS

The industrial mini-computer HyBOX H3 is offered in several versions to suit different needs. By clicking on the number of the hardware configuration you will be redirected to the product with the parameters given in the table below.

	v.0.0	v.0.0	v.0.0
	—	—	—
	—	—	—
	—	—	—
	—	—	—
	—	—	—
	—	—	—
	—	—	—