



## Industrial Data Collector MobiPad A351 NFC RFID + Camera

|                          |  |
|--------------------------|--|
| <b>Category:</b>         | UMPC - Ruggedized                            |
| <b>Manufacturer:</b>     | Mobilator                                    |
| <b>Operating System:</b> | Android 4.2                                  |
| <b>Display:</b>          | 3.5"(320x480) - capacitive Gorilla Glass     |
| <b>Brightness:</b>       | -----  |
| <b>Processor:</b>        | ARMV7 Processor rev 3(V71) Dual Core 1.4 GHz |
| <b>Memory:</b>           | 512MB  |
| <b>Hard Drive:</b>       | -----  |
| <b>Flash Memory:</b>     | 4GB  |
| <b>Touch screen:</b>     | Yes  |
| <b>Durability:</b>       | IP65   |
| <b>Drop:</b>             | 1.2 meters                                   |
| <b>Shock:</b>            | -----  |
| <b>Vibration:</b>        | -----  |

|  |  |
|--|--|
| <b>Temperature:</b>                                | Operating temperature: -15°C -- +60°C<br>Storage temperature: -20°C -- +70°C |
| <b>Humidity:</b>                                   | 0 - 90% (no condensation)  |
| <b>1D barcode scanner (reader):</b>                | -----  |
| <b>2D barcode scanner (reader):</b>                | -----  |
| <b>RFID scanner (reader):</b>                      | <b>NFC (13.56MHz) ISO 14443 A, ISO 14443 B, ISO 15693Mifare</b>              |
| <b>Other:</b>                                      | -----  |
| <b>Battery:</b>                                    | 3.7V 3100mAh Li-Ion  |
| <b>Working time on battery:</b>                    | >9 hours   |
| <b>Fast battery replacement ability:</b>           | Yes  |
| <b>HotSwap battery:</b>                            | -----  |
| <b>LAN:</b>  | No   |
| <b>WLAN:</b>                                       | 802.11 b/g/n   |
| <b>Bluetooth:</b>                                  | Bluetooth 4.0  |
| <b>WAN:</b>  | 3G WCDMA UMTS900/1900/2100 and GMS   |
| <b>GPS:</b>  | Built-in   |
| <b>Camera:</b>                                     | Yes - 2Mpx   |
| <b>In/Out:</b>                                     | 1 x microUSB 2.0, 1 x Micro SD(max.32GB), 1 x SIM, 1 x PSAM                  |
| <b>Optional accessories:</b>                       | -----  |
| <b>Docking station connector:</b>                  | Tak  |
| <b>VESA standard – holders and mounts support:</b> | -----  |
| <b>COM port:</b>                                   | Nie  |
| <b>Magnetic card reader (MSR):</b>                 | -----  |
| <b>Microchip card reader:</b>                      | -----  |
| <b>Contrast:</b>                                   | -----  |
| <b>Graphics card:</b>                              | -----  |
| <b>Chipset:</b>                                    | -----  |
| <b>BIOS:</b>                                       | -----  |

|  |  |
|--|--|
| <b>Casing material:</b>                | high quality plastic and rubber            |
| <b>Flash Card Reader:</b>              | microSD (max. 32GB)                        |
| <b>CD/DVD:</b>                         | -----                                      |
| <b>Audio:</b>                          | Built-in Speaker : Microphone              |
| <b>Keyboard:</b>                       | Alphanumeric (+ function keys) : On-screen |
| <b>Additional Navigation Devices :</b> | -----                                      |
| <b>Color:</b>                          | -----                                      |
| <b>Swivel Hinge:</b>                   | -----                                      |
| <b>VGA out:</b>                        | No   |
| <b>TV Out:</b>                         | -----                                      |
| <b>TV Tuner:</b>                       | -----                                      |
| <b>Security:</b>                       | IP65                                       |
| <b>Waterproof:</b>                     | IP65                                       |
| <b>Sand and dust:</b>                  | IP65                                       |
| <b>Size:</b>                           | 170 × 75 × 41mm- 272g                      |
| <b>Fanless casing:</b>                 | Yes  |

**Product from the Archive - production finished**



MobiPad A351 has a specially designed, reinforced structure, adapted to harsh environmental conditions. Similarly, as the equipment produced for the military, meets the requirements of IP65 norm. Thanks to its structure is resistant to dust and water. The device is proper for use in the home and industry.



[mobilator.pl](http://mobilator.pl)

|                   |   |
|-------------------|---|
| Processor         | ARMV7 Processor rev 3(V71) DualCore 1,4GHz  |
| Display           | 3,5" (320x480   Gorilla Glass   Capacitive  |
| RAM(optional)     | 512MB or 1GB                                |
| ROM(optional)     | 4GB(Availablespace 1.2GB) or 8GB            |
| Connectors        | microUSB   Micro SD(max. 32GB)   SIM        |
| GPS               | GPS(Position/Navigation)                    |
| Audio             | Speaker   Microphone                        |
| Camera(optional)  | Rear: 2Mpx or 5Mpx                          |
| Battery           | 3.7V 3100mAh Li-Ion(Charging about 4.5h)    |
| Keyboard          | Numeric (+function keys) + On-Screen        |
| Environment       | Android 4.2                                 |
| Modules           | 3G   WiFi   Bluetooth   GPS   NFC           |
| Dimensions        | 170mm*75mm*41mm                             |
| Resistance        | IP65  |
| Readers(optional) | 1D (Laser) Motorola Symbol SE955   2D (CCD) |

## Select a version for each other

Select a version tailored to your needs. Clicking on the hardware number configurations will redirect you to the product with parameters listed below. At the customer's request can be created configurations which are not available in the offer. Detailed parameters are available in the **"Technical Data"**.

[go top...](#)



Data collector MobiPad A351 can be used for projects like: supermarket cashless payment, inventory management and logistics tracking. Device will be also good option to business data management and other services.

Operating temperature:  $-15^{\circ}\text{C} \sim 60^{\circ}\text{C}$

Operating Humidity: 0% ~ 90%



[go top...](#)

## Barcode Scanner

Barcode Reader allows you to read, decode and transfer stored data in barcode to your computer. Thanks to dynamic scanning method and the large range of reading, data collector is capable to carefully collecting data, which helps to increase the rate and efficiency of work. Simplified installation procedure, convenient and intuitive design allow to start scanner work very easy and quickly.



**1D Laser**  
**2D CCD**

# Near Field Communication (NFC)

Its a set of ideas and technology that enables smartphones and other devices to establish radio communication with each other by touching the devices together or bringing them into proximity to a distance of typically 10 cm or less. NFC devices are used in contactless payment systems, similar to those used in credit cards and electronic ticket smartcards and allow mobile payment to replace/supplement these systems. NFC is used for social networking, for sharing contacts, photos, videos or files.



## RFID (HF) NFC

Frequency

13.56 MHz

Reading distance

od 1 do 5 cm

Supported card standard

Mifare Write/Read

Supported standards

ISO 14443 A/B

ISO 15693

[go top...](#)

## Applicable standards

|           |                              |
|-----------|------------------------------|
| Operating | -15°C -- +60°C               |
| Storage   | -20°C -- +70°C               |
| Humidity  | 0% - 90% RH   non-condensing |
| Dust      | IP6x (dust)                  |
| Water     | IPx5 (water)                 |
| Drop      | 1.2m                         |



## IP65 Resistance

IP stands for Ingress Protection and is essentially a rating system developed by the International Electrotechnical Commission or IEC. This system is now being used to classify different degrees of protection against intrusion or immersion. The IP rating is usually followed by two digits. The first indicates the level of dust-resistance, the second water resistance. Dust-resistance levels goes from 0 up to 6 while water resistance goes from 0 to 8.

|   |   |   |   |  |
|---|---|---|---|--|
| No special protection                                       | 0 |  | 0 | No waterproofing   |
| Protection from solid objects greater than 50mm in diameter | 1 |  | 1 | Protection from dripping water                               |
| Protection from solid objects greater than 50mm in diameter | 2 |  | 2 | Protection from vertically dripping water (tilted up to 15°) |
| Protection from object not greater than 2,5mm in diameter   | 3 |  | 3 | Protection from sprayed water (tilted up to 60°)             |



When device is equipped with the **WCDMA** module, you need only insert a SIM card in the special slot and you are able instantly connect to the internet. Integrated software allows you to automatically detect and configure connections to mobile networks. Internal **3G** module. MobiPad A351 NFC devices are used in contactless payment systems, similar to those used in credit cards and electronic ticket smart cards. They allow mobile payment to replace/supplement these systems. NFC is used for social networking, for sharing contacts, photos, videos

|                  |                                       |
|------------------|---------------------------------------|
| <b>WiFi</b>      | 802.11 b/g/n                          |
| <b>GPS</b>       | Yes                                   |
| <b>Bluetooth</b> | Bluetooth V4.0                        |
| <b>3G</b>        | 3G(WCDMA UMTS 900/1900/2100) oraz GSM |
|                  | The ability to make voice calls       |



You no longer need to worry about whether you will put your device into a briefcase, backpack or travel bag, the problem disappears when you have MobiPad A351. The device weighs just 272g and its dimensions (170 x 75 x 41mm) allow you to take this device everywhere. Professional performance and energy efficiency makes, that A351 is in a group of devices which enjoy great popularity in the European market in the industrial segment.

Dimensions

170 × 75 × 41mm

Weight

275g

## Quick change battery

Friendly design allows for fast replacement of the battery. This is useful when you working in the field with difficult conditions, where there is no additional power sources and the time is very important.



[mobilator.pl](http://mobilator.pl)

[go top...](#)

[more photos in the "Photo Gallery" ...](#)

[specification of this version is available in the "Technical data" ...](#)