



MiniPC Industrial AOpen DE2700 v.2

Category:	MiniPC Industry
Manufacturer:	AOpen
Supported OS:	Windows XP, Windows Vista
Installed OS:	None
Chipset:	Intel 945GSE / ICH7M
CPU Support:	Intel Atom N270
Installed CPU:	Intel Atom N270
Graphic Card:	Intel GMA 950GSE
Memory Support:	1 x SODIMM DDR, Up to 2GB
Installed Memory:	2GB DDR II
Storage (HDD) Support:	1 x 2,5" SATAII HDD, Up to 750GB
Installed Storage (HDD):	320GB - 2,5" SATA II
Others:	None
LAN:	10/100/1G Intel GbE LAN controller
Wireless LAN card:	No (Optional Yes)
Rear Panel (ports):	4x USB 2.0, 2x LAN RJ45 (10/100/1G LAN), 1x Audio Jack Stereo (Line In, Line Out), 1x DVI, 2x COM (RS232)
Front Panel (ports):	2 x USB 2.0
Expansion:	Hybrid TV Tuner DVB-T (analog + digital + FM), , WiFi 802.11 a/b/g/n, Card rider CF, Handles and Adapters
Power:	External AC adapter

CD/DVD Drive:	None
TV Tuner:	No (Optional Yes)
Dimensions:	166mm x 48mm x 157mm

Product from the Archive - production finished

MiniPC Industrial AOpen DE2700 v.2

Terms and Conditions:

- 1. Resistance on damage & small size ...
- 2. Advenced technology ...
- 3. Using & interface ...
- 4. Use ...
- 5. Recapitulation ...
- 6. **Energy saving and cost reducing...**



DIGITAL ENGINE the series of products AOpen firm dedicate to industrial use ...



[Resistance on damage & small size ...](#)

[list of content...](#)

[go top...](#)

The AOpen Digital Engine DE45-Pro is a rugged, high performance Intel-based system in a 6.5W x 6.3H x 1.89D footprint that weighs less than 3 pounds.




[Advanced technology ...](#)

[list of content...](#)

[go top...](#)

The AOpen MiniPC DE2700 line offers Intel-based desktop products with a similar footprint and features an enclosure that balances ergonomics, size and function. Both systems include the Intel 945GSE / ICH7M chipset, one Mini PCI slot as well as extensive I/O that includes DVI, 2x COM(RS232), 2x GB LAN, USB, audio and more. The systems have the ability to add up to 2GB of memory as well as a notebook hard drive or flash disk.



[Using & interface ...](#)

[list of content...](#)

[go top...](#)


Front Panel :



Rear Panel :

[list of content...](#)

[go top...](#)



Use ...

For thanks of use optional handles and adapters, it many possibilites to mount Digital Engines - for example: in factory halls, with LCD / LED monitors, hipermarkets, shops, under table top and cars.



Empowered your Applications



Digital Engine



[Recapitulation ...](#)


[list of content...](#)

[go top...](#)

AOpen Digital Engine DE2700 is a complete solution for Digital Signage, Projector PC, Media Player, and Vehicle PC. AOpen DE2700 is a compact system of 1.25L with Intel 945GSE Express Chipset supporting Intel socket PBGA437 Atom N270 processors. The AOpen DE2700 had 40,000 hour MTBF and passed shock and vibration operation tests. It can be installed both vertically and horizontally without having thermal issues. AOpen DE2700 adapts mobile CPU, chipset and memory to reduce heat. With less heat, the speed of the fans will drop and create a silent working condition.



Energy saving and cost reducing



[list of content...](#)

[go top...](#)

Assumption :
1) computers work after 8 hour daily
2) working 20 days in month
3) working 240 days in year

number of computer	Work Time		Energy Saving kWh
	Day		
	Digital Engine kWh	Standard PC kWh	
1	0,52	3,20	2,68
10	5,20	32,00	26,80
100	52,00	320,00	268,00
1000	520,00	3200,00	2680,00
5000	2600,00	16000,00	13400,00
number of computer	Month		Energy Saving kWh
	Digital Engine kWh	Standard PC kWh	
	Digital Engine kWh	Standard PC kWh	
1	10,40	64,00	53,60
10	104,00	640,00	536,00
100	1040,00	6400,00	5360,00
1000	10400,00	64000,00	53600,00
5000	52000,00	320000,00	268000,00
number of computer	Year		Energy Saving kWh
	Digital Engine kWh	Standard PC kWh	
	Digital Engine kWh	Standard PC kWh	
1	124,80	768,00	643,20
10	1248,00	7680,00	6432,00
100	12480,00	76800,00	64320,00
1000	124800,00	768000,00	643200,00
5000	624000,00	3840000,00	3216000,00