



## MiniPC Industrial AOpen DE3250 v.1



### Digital Engine®

<b>Category:</b>	MiniPC Industry
<b>Manufacturer:</b>	AOpen
<b>Supported OS:</b>	Microsoft Windows: 7/8.1
<b>Installed OS:</b>	-----
<b>Chipset:</b>	Intel chipset
<b>CPU Support:</b>	Intel Celeron N2930
<b>Installed CPU:</b>	Intel Celeron N2930 (4x1.83GHz)
<b>Graphic Card:</b>	Intel HD Graphics
<b>Memory Support:</b>	DDR3 (can up to 2GB), Dual Channel
<b>Installed Memory:</b>	2GB DDR3L
<b>Storage (HDD) Support:</b>	32GB or 64GB SSD
<b>Installed Storage (HDD):</b>	32GB SSD
<b>IP Norm:</b>	-----
<b>Temp:</b>	0 - 40
<b>Storage temperature:</b>	-20 - 60
<b>Humidity:</b>	0 ~ 90%
<b>Others:</b>	Colour Black, Aluminum
<b>LAN:</b>	Realtek RTL8111G
<b>Wireless LAN card:</b>	No (optional Yes)
<b>3G:</b>	No (optional Yes)

<b>Bluetooth:</b>	No
<b>Rear Panel (ports):</b>	1x Audio, 1x Mic, 2x RJ-45, 2x HDMI, 1x DC-IN 12/19V
<b>Front Panel (ports):</b>	Power ON/OFF, 2x USB 2.0, 1x eSATA, 1x COM(RS232), 1x SD Card Slot
<b>Expansion:</b>	WiFi
<b>Power:</b>	12V
<b>Watch Dog Timer:</b>	0~255 sec
<b>CD/DVD Drive:</b>	No
<b>TV Tuner:</b>	No (optional Yes)
<b>Dimensions:</b>	166 x 158 x 25 mm
<b>Fanless:</b>	Yes
<b>Weight:</b>	1.275 kg

**Product from the Archive - production finished**



## Industrial Fanless

Fanless industrial PCs are excellent in environments dominated by dust, dirt and moisture. They are ideal for applications that require quiet operation. Small and reliable MiniPC use heat-pipe technology and aluminum fans for passive cooling.

**MiniPC Industrial AOpen DE3250** is a series of devices for industrial applications requiring continuous operation - 24 hours, 7 days a week.

[go top . . .](#)



Housing dimension are **166 (W) x158 (L) x25 (H) mm**. Housing is made of high quality aluminum what ensures a very high resistance to mechanical damages. This model with weight of only **1.275 kg** is ready at any time for operation even in extreme conditions such as heat, cold, vibration.

Using the latest technology Digital Engine (industrial fanless MiniPC) is designed for continuous multitasking operating with low power consumption. An important advantage is the effective combination of small size with considerable opportunities through the use of Intel's processor family, Intel chipset and **DDR3L** memory. Integrated **Intel HD Graphics** video and audio **Realtek ALC662** allow you to play a wide range of applications and media files (video, audio) - in Full HD quality. Disks offer free space **32GB/64GB SSD**.



[go top . . .](#)

Integrated card - **Realtek RTL8111G** (optional WiFi module) allow connection to the network. The computer is equipped with: two **LAN** port, one **COM(RS232)** port, one **eSATA** input, two **USB 2.0** ports, one **SD Card Slot**, two **HDMI** outputs one way audio, one microphone input.





# AOPEN

Bright Ideas Connected

## Cooling

The MiniPC Industrial AOpen DE3250 uses a special method of cooling. This cooling takes place mainly by means of housing having a very large surface (longitudinal lamells, ribs) - for heat dissipation.

[go top...](#)



## Trade

Small, fanless computer can find various of commercial applications such as computer system for sale, for display informations about the products on monitors or ads on the big screens. With the help of handles combined with the housing there are many mounting possibilities - such as: in shops (at the cash register, at the back of monitors for LCD / LED), in factories halls, in the cars which are used for distribute different kind of products, etc., will certainly find application in all kinds of networks trade.



**Digital Engine®**



New Portable Devices | NIP: 872-120-56-82 | Mobile.: +48 508 235 505 | e-mail: sklep@mobilator.pl  
Magazine  
Account number: ALIOR BANK SA 68 2490 0005 0000 4500 2328 8078

MiniPC Industrial AOpen DE3250 by two USB ports can be used to connect multiple

