



Digital Engine®



MiniPC Industrial AOpen DE3250S

Category:	MiniPC Industry
Manufacturer:	AOpen
Others:	Colour Black, Aluminum
Chipset:	Intel chipset
CPU Support:	Intel Celeron N2840
Installed CPU:	Intel Celeron N2840 (2x2.16GHz)
Memory Support:	DDR3 (can up to 2GB), Dual Channel
Installed Memory:	2GB DDR3L
Graphic Card:	Intel HD Graphics
Storage (HDD) Support:	32GB SSD
Installed Storage (HDD):	32GB SSD
CD/DVD Drive:	No
LAN:	RTL8111G-CG
Wireless LAN card:	No (optional Yes)
Bluetooth:	No
3G:	No
TV Tuner:	No
Watch Dog Timer:	0~255 sec
Front Panel (ports):	Power ON/OFF, 2x USB 2.0, 1x eSATA, 1x COM(RS232), 1x SD Card Slot
Rear Panel (ports):	1x Audio, 1x Mic, 1x RJ-45, 2x HDMI, 1x DC-IN 12/19V

Power:	12V
Supported OS:	Microsoft Windows: 7/8.1
Installed OS:	-----
Dimensions:	166 x 158 x25 mm
Weight:	1.275 kg
Expansion:	WiFi
Fanless:	Yes
Humidity:	0 ~ 90%
Temp:	0 - 40
IP Norm:	-----
Storage temperature:	-20 - 60

Product from the Archive - production finished



Industrial Fanless

Fanless industrial PCs are excellent in environments dominated by dust, dirt and moisture. They are ideal for applications that require quiet operation. Small and reliable MiniPC use of heat-pipe technology and aluminum fans for passive cooling.

MiniPC Industrial AOpen DE3250S is a series of devices for industrial applications requiring continuous operation - 24 hours, 7 days a week.

[go top . . .](#)

Housing dimension are **166 (W) x158 (L) x25 (H) mm**. Housing is made of high quality aluminum what ensures a very high resistance to mechanical damages. This model with weight of only **1.275 kg** is ready at any time for operation even in extreme conditions such as heat, cold, vibration.


Using the latest technology Digital Engine (industrial fanless MiniPC) is designed for continuous multitasking operating with low power consumption. An important advantage is the effective combination of small size with considerable opportunities through the use of Intel's processor family, Intel chipset and **DDR3L** memory. Integrated **Intel HD Graphics** video and audio **Realtek ALC662** allow you to play a wide range of applications and media files (video, audio) - in Full HD quality. Disks offer free space **32GB SSD**.

Digital Engine®



[go top . . .](#)

Integrated card - **RTL8111G-CG** (optional WiFi module) allow connection to the network. The computer is equipped with: one **LAN** port, one **COM(RS232)** port, one **eSATA** input, two **USB 2.0** ports, one **SD Card Slot**, two **HDMI** outputs one way audio, one microphone input.





AOPEN

Bright Ideas Connected

Cooling

The MiniPC Industrial AOpen DE3250S uses a special method of cooling. This cooling takes place mainly by means of housing having a very large surface (longitudinal lamells, ribs) - for heat dissipation.

[go top . . .](#)

Trade

Small, fanless computer can find various of commercial applications such as computer system for sale, for display informations about the products on monitors or ads on the big screens. With the help of handles combined with the housing there are many mounting possibilities - such as: in shops (at the cash register, at the back of monitors for LCD / LED), in factories halls, in the cars which are used for distribute different kind of products, etc., will certainly find application in all kinds of networks trade.



New Portable Devices | NIP: 872-120-56-82 | Mobile.: +48 508 235 505 | e-mail: sklep@mobilator.pl
Magazine

Account number: ALIOR BANK SA 68 2490 0005 0000 4500 2328 8078

MiniPC Industrial AOpen DE3250S by two USB ports can be used to connect multiple

