Mobile Printer MobiPrint MP- 58M1B

MobiPrint

RS-232
Bluetooth®

Category:	Mini Mobile Printer POS
Manufacturer:	Mobilator
Working on the cable - Systems:	Windows
Working wireless - Systems:	Android
Supported System - SDK:	-
Supported System - Drivers:	None,But provide Program Munal to support Javer mobile,WinCE,Android,Windows Mobile
Memory:	-
Receive Buffer Size:	-
Resistance IP:	-
MCBF (Mean Cycle Between Failure):	-
Operating Temp:	0°C~50°C
Storage Temp:	-20°C~70°C
Operating Humidity:	20%~85%
Storage Humidity:	5%~95%
Power Supply (Adapter):	DC9V/2A
Battery Power:	7.2V,700mAh Li-ion
Battery Duration:	100m continuous printing

Battery Duration:	24h
Charge Time:	less than 3 hours
Paper Supply Method:	Drop-in easy paper loading
Paper Type:	Thermal paper
Paper Width:	57.5mm
Paper Roll Diameter:	40mm (max.)
Roll Core Inner Diameter:	12.5±0.5mm
Paper Thickness:	0.065mm-0.086mm
Printer Mechanism:	JinXin-628MCL101
Printing Method:	Thermal Line
Printing Speed:	90 mm/s
Effective Printing Width:	54mm
Resolution:	203DPI(8dot/mm)
Print Font:	Font A 12*24 dot,Font B 8*16 dot
Character Set:	ASCII, Unicode
Character per Line:	32/40
Interface:	RS-232/Bluetooth
Auto Cutter:	-
TPH:	100km
Sensor:	Paper End Sensor,Black Mark Sensor,Cover Open Mark Sensor
Emulation:	ESC/POS
Button:	Power, Feed, Mode
Indicator:	Power, Feed, Mode
LCD:	-
Ribbon Cassette:	-
Barcode:	EAN-8,EAN-13,Code 39,Code 93,Code 128, ITF,UPC-A,Codabar
Smart Card:	-
MSR:	-

Display Content:	-
Setup Software:	-
Multi-languages:	8 kinds country Language
Accessories:	Battery,Charger,RS232 Cable,CD Driver, Paper-roll
Color:	Beige / Black
Printer Dimension:	105 mm x 78 mm x 78 mm
Weight:	357g

830,71 zł
net price: 675,37 zł

Portable Thermal Line Printer

MobiPrint
MP-58M1B

1234567895

RS-232
Bluetooth

Brand MobiPrint is a new distribution in Mobilator. Under this brand we are selling portable mini printer manufactured by companies who have achieved recognition of clients due to high quality of products in the segment of high-tech.

MobiPrint

Portable Mobile Printer series MobiPrint is a lightweight device used to print receipts, invoices or labels in places where it is not possible to use large desktop printers. Depending on the client's needs - printers are available with different wireless interfaces (depending on model): Bluetooth and WiFi and wired USB and RS232.

MobiPrint MP-58M1B

Printing Method	Thermal Line
Resolution	203DPI(8dot/mm)
Support system	Android , iOS , Windows
Distance	8m - normal spare
Communication	Bluetooth, RS232
Dimensions	105 mm x 78 mm x 48 mm
Weight	357g
Other	None

The detailed specification of the configuration available in the **"Technical data"**

go top...

Modern, wireless (Bluetooth) thermal printer MobiPrint MP-58M1B was designed with users in mind, for which it is necessary to print invoices, receipts or labels in places where there is no access to the electricity grid, transportation and mobile commerce, at events, etc.

58M1B has a simple paper loading, ease of use, print quality, fast printing, printing on thermal paper roll. These properties make the lightweight portable printers are used in a variety of mobile applications.

Thermal Printer - MOBIPRINT MP-58M1B through Bluetooth module (which ensures proper communication) is compatible with mobile devices, data collectors and computers running under different operating systems (see the text "Communication" - below).

i printer surprises his appearance. This ergonomic, compact and extremely lightweight thermal printer dimensions (105 mm x 78 mm x 48 mm) and weight only 357g, allows complete mobility.

MobiPRINT MP-58M1B is equipped with a Li-Ion battery with sufficient capacity - 700mAh, allowing you to work up to 100 minutes in continuous printing or left in standby mode for 1 days.

...erent applications, wireless (Bluetooth) Mobile printer may be compatible with systems such as Android, iOS, Windows. Users can send data to the printer in real time with PCs or mobile devices (for PC operating systems such as Windows printer can be connected only via RS232).

Portable (radio and bluetooth) mobile thermal printers by using thermal printing methods are convenient and easy to use and offer a wealth of configuration parameters. Print fonts with different contrasts in depending of used paper roll. Thanks to the wireless communication range of connection offer up to 8m from the device.

The printer has two basic communication interfaces: wireless interface - Bluetooth and wired - serial RS232 port.

Application

For MobiPrint MP-58M1B manufacturer recommends widely use in situations where it is necessary to the need for rapid and mobile print a receipt or confirmation of the purchased goods in trade, logistics, transport, freight forwarding, industrial sector, financial and public sectors.

Pharmacy

The printer is ideally suited for use in pharmacies, for printing the valuation of drugs for physicians to print prescriptions, referrals, orders, etc. It can be used as a portable printer (home visits) and to cooperate with the medical laboratory apparatus and measuring devices and control print graphs.

Trade

The device is used for high speed printing of receipts, confirmations and invoices. Certainly will be applied in all kinds of commercial networks, resteurants, hotels, etc.

Magazine

Mini printer allows for quick and wireless printing with confirmation of receipt of goods from the warehouse.

Logistics and transport

Little Printer will find all kinds of application also in transport.

Bluetooth allows you to send her the necessary data from your computer to print. We offer the highest quality devices work flawlessly even in harsh industrial environments.

MobiPrint MP-58M1B	
Print	Printing Method: Thermal Line
	Printing Speed: 90 mm/s
	Resolution: 203DPI(8dot/mm)
	EffectivePrinting Width: 54mm
Character	Character Set: -
	Print Font: -
	Character per Line: 32/40
Paper Spec	Paper Type: Thermal paper
	Paper Width: 57.5mm
	Paper Roll Diameter:40mm(max.)
	Roll Core Inner Diameter: 12.5±0.5mm
	Paper Thickness: 0.065mm-0.086mm
Paper Supply Method	Drop-in easy paper loading
Reliability	MCFB: -
	TPH: 100km
Emulation	ESC/POS
Sensor	Paper End Sensor
Interface	RS-232 / Bluetooth
Power Supply	DC12V/3A
	Battery Power: 700 mAh, 7.2V