



Mobile Printer MobiPrint MP-GT5S

MobiPrint

SMS Printer

Category:	Mini Mobile Printer POS
Manufacturer:	Mobikator
Working on the cable - Systems:	Windows Vista / XP/ 7 / 8 / 8.1
Working wireless - Systems:	-
Supported System - SDK:	-
Supported System - Drivers:	Windows Vista / XP/ 7 / 8 / 8.1
Memory:	16M in the GSM module, more than 200 SMS can be saved, sent or received
Receive Buffer Size:	-
Resistance IP:	-
MCBF (Mean Cycle Between Failure):	100 million lines
Operating Temp:	-15-55 °C
Storage Temp:	-20-60°C
Operating Humidity:	10%-95%
Storage Humidity:	5%-95%
Power Supply (Adapter):	DC12V/2A
Battery Power:	7.4V,1.1A rechargeable Li-ion battery
Battery Duration:	Can be used for more than 72 hours in idle mode by battery supplied.

Battery Duration:	72 h
Charge Time:	less than 3 hours
Paper Supply Method:	Drop-in easy paper loading
Paper Type:	Thermal
Paper Width:	57 mm
Paper Roll Diameter:	40mm (max.)
Roll Core Inner Diameter:	-
Paper Thickness:	-
Printer Mechanism:	-
Printing Method:	Thermal-line
Printing Speed:	70mm/s
Effective Printing Width:	48mm
Resolution:	8 dots / mm, 480 line/sec
Print Font:	-
Character Set:	12 * 24 dots
Character per Line:	32
Interface:	Module: GSM / GPRS
Auto Cutter:	-
TPH:	50 KM
Sensor:	-
Emulation:	ESC/POS
Button:	24 keys
Indicator:	-
LCD:	128 x 64
Ribbon Cassette:	-
Barcode:	1D / 2D
Smart Card:	-
MSR:	-

Display Content:	-
Setup Software:	OS of SIM840w for design
Multi-languages:	English, Polish, Spanish, Portuguese, Arabic, Italian, Slovak, Swedish, Danish, Mexican, Russian, French, Greek, German, Norwegian, Azerbaidzhan, Chinese, etc.
Accessories:	Battery, Charger, USB cable, paper roll.
Color:	Black
Printer Dimension:	240 mm x 140 mm x 90 mm
Weight:	1200g

Product from the Archive - production finished



Brand **MobiPrint** is a new distribution in Mobilator. Under this brand we are selling portable mini printer manufactured by companies who have achieved recognition of clients due to high quality of products in the segment of high-tech.

MobiPrint

Portable Mobile Printer series MobiPrint is a lightweight device used to print receipts, invoices or labels in places where it is not possible to use large desktop printers. Depending on the client's needs - printers are available with different wireless interfaces (depending on model): Bluetooth and WiFi and wired USB and RS232.



MobiPrint MP-GT5S

Printing Method	Thermal-line dot method
Resolution	8 dots/mm, 480 dot line/sec
Display	128 x 64 pixels
Communication	GSM /GPRS
Dimensions	240 mm x 140 mm x 90 mm
Weight	1200g
Other	None

The detailed specification of the configuration available in the "**Technical data**"

[go top...](#)

Modern, wireless (GSM/GPRS) thermal printer MobiPrint MP-GT5S BT was designed with users in mind, for which it is necessary to print invoices, receipts or labels in places where there is no access to the electricity grid, transportation and mobile commerce, at events, etc.

MobiPrint MP-GT5S has a simple paper loading, ease of use, print quality, fast printing, printing on thermal paper roll. These properties make the lightweight portable printers are used in a variety of mobile applications.

Thermal Printer - MOBIPRINT MP-GT5S through GSM / GPRS module (which ensures proper communication) is compatible with mobile devices, data collectors and computers running under different operating systems having GSM module (see the text "Communication" - below).

MobiPrint



Mobi printer surprises his appearance. This ergonomic, compact and extremely lightweight thermal printer dimensions (240 mm x 140 mm x 90 mm) and weight 1,2kg, allows complete mobility.



SIM Card Slot




.JRS

For various applications, wireless (GSM / GPRS) mobile printer can be compatible with all GSM devices. Users can send SMS to the printer in real time with PCs or mobile devices.

For a printer company MobiPRINT dostarczone software which allows you to customize to different needs. Below is an example of the use of GSM printer.





Two way communication:

(1) For GSM (SMS) mode, it is easier operation.

customers make order via mobile phone. When the printer receives orders, it will print it out automatically. User of printer can select to confirm or reject orders, entering the delivery time (for accepted orders) or reject reasons (for rejected orders). Then the orders will be sent back to customers.

Besides, you can also install a GSM modem. Customer places their order via sms. Then, server will forward order to the SMS Printer located in restaurant kitchen. Restaurant acknowledges/prints order and specifies optional delivery time. Customer receives acknowledgement of order and expected delivery time.

(2) For GPRS, it requires that you have your own website platform, including the IP, port, filepath, callback URL.

Setting some parameters (e.g. ip addr, port, filepath, callback url.) in printer, then printer will communicate with sever. To identify each device from sever, u also have to set some other parameters, such as: RES ID, login web username, login web password, etc.

Application

For MobiPrint MP-GT5S manufacturer recommends widely use in situations where it is necessary to the need for rapid and mobile print a receipt or confirmation of the purchased goods in trade, logistics, transport, freight forwarding, industrial sector, financial and public sectors.



Pharmacy

The printer is ideally suited for use in pharmacies, for printing the valuation of drugs for physicians to print prescriptions, referrals, orders, etc. It can be used as a portable printer (home visits) and to cooperate with the medical laboratory apparatus and measuring devices and control print graphs.

Trade

The device is used for high speed printing of receipts, confirmations and invoices. Certainly will be applied in all kinds of commercial networks, restaurants hotels, etc.



Magazine

Mini printer allows for quick and wireless printing with confirmation of receipt of goods from the warehouse.

Logistics and transport

Little Printer will find all kinds of application also in transport.



[go top...](#)

Move the printer allows you to send her the necessary data from your computer to print. We offer the highest quality devices work flawlessly even in harsh industrial environments.

MobiPrint MP-GT5S

GSM parameters

RF transmit frequency: RF:
GSM850 824-849MHz E-GSM900
880-915MHz DCS1800 1710-1785MHz
PCS1900 1850-1910MHz

Frequency stability: 2.5ppm

Receiver sensitivity: -104dBm

GSM protocol: ETSI GSM Phase 2+

Transmit power: 2W(900MHZ), 1W(1800MHZ)

SIM card interface: 3V

Antena: SMA connector,50Ω impedance,3dB gain

Print

Printing Method: Thermal-line

Printing Speed: 70mm/s

Resolution: 8 dots/mm 480 dots/line

EffectivePrinting Width: 48mm

Character

Character Set: 12*24 dots

Character per Line: 32

Paper Spec

Paper Type: Thermal

Paper Width: 57 mm

Paper Roll Diameter:50 mm(max.)

Paper Supply Method

Drop-In easy paper loading

New Portable Devices | NIP: 872-120-56-82 | Mobile.: +48 508 235 505 | e-mail: sklep@mobilator.pl

Account number: ALIOR BANK SA 68 2490 0005 0000 4500 2328 8078

MCFB: 100 million lines

Reliability

