



Mobile Printer MobiPrint SP-MTP58B

Category:	Mini Mobile Printer POS
Manufacturer:	Mobikator
Other:	Drop up to 1.2 meters
Printing Method:	Thermal-line
Printing Speed:	80mm/s
Resolution:	8 dots / mm, 384 dots/line
Effective Printing Width:	48mm
Character Set:	ANK: 8x16, 12 x24 GBK:16x16, 24 x24
Print Font:	-
Character per Line:	32
Paper Type:	Thermal
Paper Width:	57.5±0.5mm
Paper Roll Diameter:	40mm (max.)
Roll Core Inner Diameter:	13mm(min.)
Paper Thickness:	0.06 to 0.07mm

Ribbon Cassette:	-
Paper Supply Method:	Drop-in easy paper loading
Printer Mechanism:	-
MCBF (Mean Cycle Between Failure):	-
TPH:	-
Smart Card:	-
MSR:	-
Barcode:	1D / 2D
Emulation:	ESC/POS
Sensor:	-
Interface:	Module:Bluetooth, WiFi, USB, RS232C
Button:	2 keys
Indicator:	-
LCD:	-
Display Content:	-
Memory:	Flash: 2MB RAM: 32KB
Receive Buffer Size:	-
Multi-languages:	-
Supported System - Drivers:	Windows XP/2000/VISTA/7/8 Linux
Supported System - SDK:	-
Working on the cable - Systems:	Windows XP/2000/VISTA/7/8 Linux
Working wireless - Systems:	-
Setup Software:	-
Power Supply (Adapter):	DC 7.4 V
Battery Power:	7.4V, 2000 Li-ion
Battery Duration:	180~240m continuous printing(12.5 density); 1200 receipts(150mm each receipt); 95~120m continuous printing(25 density)
Charge Time:	-
Battery Duration:	-

Auto Cutter:	-
Weight:	215g
Printer Dimension:	108 x 78 x 46mm
Color:	Dark Grey
Operating Temp:	-10~50°C
Storage Temp:	-20~70°C
Operating Humidity:	20~85%
Storage Humidity:	5~95%
Accessories:	Battery, Charger, USB cable, paper roll, Carrying case.
Resistance IP:	-

725,31 zł

net price: 589,68 zł



Brand **MobiPrint** is a new distribution in Mobilator. Under this brand we are selling portable mini printer manufactured by companies who have achieved recognition of clients due to high quality of products in the segment of high-tech.

Portable Mobile Printer series MobiPrint is a lightweight device used to print receipts, invoices or labels in places where it is not possible to use large desktop printers. Depending on the client's needs - printers are available with different wireless interfaces: Bluetooth and WiFi and wired USB and RS232.



MobiPrint SP-MTP58B

Printing Method	Thermal-line
Resolution	8 dots/ mm, 384 dotsline
Communication	RS-232C, USB, Bluetooth, IOS Bluetooth, WiFi
Dimensions	108 x 78 x 46mm
Weight	215g (including paper and battery)
Other	32K RAM, Flash 2KB, Possibility to print 1D/2D barcodes

The detailed specification on the end of description and in the **"Technical data"** page

Modern thermal printer **MobiPrint SP-MTP58B** was designed with users in mind, for which it is necessary to print invoices, receipts or labels in places where there is no access to the electricity grid, transportation and mobile commerce, at events, etc.

Portable printers MobiPrint SP-MTP58B has a simple paper loading, ease of use, print quality, fast printing, printing on thermal paper roll. These properties make the lightweight portable printers are used in a variety of mobile applications.



A new generation of mini printer surprises his appearance. This ergonomic, compact and extremely lightweight thermal printer dimensions 108 x 78 x 46mm and weight 215g, allows complete mobility.



MobiPrint SP-MTP58B is equipped with a Li-Ion battery with sufficient capacity - 2000mAh. Can be used up to 2 hours continuous printing(25 density).

Thermal Printer - **MobiPrint SP-MTP58B** is compatible with mobile devices, data collectors and computers - working with different operating systems - which have module of Bluetooth, WiFi, USB or RS-232C port



Portable printer allows you to send her the necessary data from your computer to print. We offer the highest quality devices work flawlessly even in harsh industrial environments.

MobiPrint SP-MTP58B

Print	Printing Method: Thermal-line
	Printing Speed: 80 mm/s
	EffectivePrinting: 48mm
	Resolution: 8 dots/mm, 384 dots/line
Emulation	ESC/POS
Printing barcodes	1D: UPC-A,UPC-E,EAN-13, EAN-8, CODE39, ITF25, CODABAR, CODE93, CODE128
	2D: QR Code, PDF417, Data Matrix
Character	Print Font: ANK: 8x16, 12 x24, GBK:16x16, 24 x24
	Character per Line: 32
Paper	Type: Thermal Paper
	Paper Width: 57±0.5 mm
	Paper Roll Diameter: 40mm(max.)
	Roll Core Inner Diameter: 13mm(min.)
Paper Loading Method	Paper Thickness: from 0.06 to 0.07mm
	Drop-in easy loading

Hardware

Operating Temp: -10~50

Storage Temp: -20~70

Operating Humidity: 20~85%

Storage Humidity: 5~95%

Sensors: Paper end sensor, Cover open sensor

Communication

RS-232C, USB, Bluetooth, IOS Bluetooth, WiFi

Power Supply

DC 7.4V

Battery

Battery Power: 2000 mAh, 7.4V

Type: Li-ion

Czas pracy na baterii:

- **180~240 continuous printing(12.5 density)**

- **95~120m continuous printing(25 density)**

- **receipts(150mm each receipt)**

Physical

Printer Dimension: 108 mm x 78mm x 46 mm

Weight: 215g(including paper and battery)

Color: dark grey

Accessories

Battery, Charger, USB cable, Paper roll, Carrying case.



