



MobiPad XX-B6 v.6 - Industrial manifold (IP65) with UHF reader (Impinj R2000) with a range of 17m and a 2D scanner (Zebra SE4710) + Pistol Grip

<b>Category:</b>	UMPC - Ruggedized
<b>Manufacturer:</b>	Mobikator
<b>Operating System:</b>	Android 10.0
<b>Display:</b>	5.5" TFT-LCD (HD720 x 1280)
<b>Brightness:</b>	450 cd/m <sup>2</sup>
<b>Processor:</b>	ARM Cortex-A73 Octa-core 2.0GHz
<b>Memory:</b>	2GB
<b>Hard Drive:</b>	16GB
<b>Flash Memory:</b>	16GB eMMC
<b>Touch screen:</b>	Yes
<b>Durability:</b>	IP65
<b>Drop:</b>	1.5 meters
<b>Shock:</b>	-----
<b>Vibration:</b>	-----
<b>Temperature:</b>	Operating temperature: -20°C -- 50°C Storage temperature: -20°C -- -70°C 60°C
<b>Humidity:</b>	5% - 95% RH

<b>1D barcode scanner (reader):</b>	-----
<b>2D barcode scanner (reader):</b>	<b>Yes (SE4710 from Zebra)</b>
<b>RFID scanner (reader):</b>	NFC 13.56 MHz, ≤5cm, ISO14443A/15693, NFC-IP1, NFC-IP2 <b>Impinj R2000 UHF (from 8 to 17m) 865-868MHz</b>
<b>Other:</b>	-----
<b>Battery:</b>	3.8V 9000mAh Li-Ion
<b>Working time on battery:</b>	8 hours
<b>Fast battery replacement ability:</b>	No
<b>HotSwap battery:</b>	No
<b>LAN:</b>	No
<b>WLAN:</b>	802.11 a/b/g/n/ac
<b>Bluetooth:</b>	Bluetooth 4.2
<b>WAN:</b>	5.50
<b>GPS:</b>	Built-in (A-GPS)
<b>Camera:</b>	Rear: 13Mpx + Flash
<b>In/Out:</b>	1x USB C, 1 x Micro SD (max.256GB), 1x SIM, 1x PSAM
<b>Optional accessories:</b>	Docking station   Additional battery
<b>Docking station connector:</b>	Yes
<b>VESA standard – holders and mounts support:</b>	No
<b>COM port:</b>	Nie
<b>Magnetic card reader (MSR):</b>	No
<b>Microchip card reader:</b>	No
<b>Contrast:</b>	-----
<b>Graphics card:</b>	---
<b>Chipset:</b>	-----
<b>BIOS:</b>	-----
<b>Casing material:</b>	high quality plastic and rubber
<b>Flash Card Reader:</b>	microSD (max. 256GB)

<b>CD/DVD:</b>	-----
<b>Audio:</b>	Built-in Speaker : Microphone
<b>Keyboard:</b>	On-screen (+ function keys)
<b>Additional Navigation Devices :</b>	No
<b>Color:</b>	black
<b>Swivel Hinge:</b>	No
<b>VGA out:</b>	No
<b>TV Out:</b>	No
<b>TV Tuner:</b>	No
<b>Security:</b>	IP65
<b>Waterproof:</b>	IPX5
<b>Sand and dust:</b>	IP6X
<b>Size:</b>	166 x 79 x 32mm
<b>Fanless casing:</b>	Yes
<b>Weight:</b>	600g

**759,12 €**

net price: 617,17 €



ANDROID



4G



## SPECIFICATION

## RESISTANCE

## DATA COLLECTING

## WIRELESS COMMUNICATION

## APPLICATION

## ACCESSORIES AND AVAILABLE VERSIONS

MobiPad XX-B6 is a modern, waterproof industrial data collector designed for extreme applications. It has a specially designed, reinforced construction that meets the requirements of IP65.

## SPECIFICATION

MobiPad XX-B6	
Processor	ARM Cortex-A73 Octa-core 2.0GHz
Operating system	Android 10.0
RAM	2GB   4GB * (optional)
ROM	16GB   64GB * (optional)
Display	5.5" TFT-LCD (HD720 x 1280)
Touch screen	Capacitive
Battery	9000 mAh

MobiPad XX-B6	
Camera	13MP autofocus + Flash
Protection	IP65
Communication	4G   Bluetooth 4.2   Wi-Fi   GPS   NFC
Connectors	USB C   PSAM
Memory card	Micro SD (max. 256GB)
SIM card	1x SIM
2D Scanner	Zebra SE4710
RFID reader	Impinj R2000 (UHF 8-17m)
NFC	Yes

\*

Optional equipment, available on specific versions only.



Detailed device specification is available in the "Technical data".

Dustproof industrial data collector was equipped with high performance, energy-efficient

ARM Cortex-A73 processor. Inside, there are eight cores that allow for more efficient processing of multiple tasks simultaneously. Shared caching, which uses a multi-level hierarchy, is dynamically allocated to each processor core according to the load. This reduces the average access time to main memory.

Ergonomic design

MobiPad XX-B6 v.6 - Industrial manifold (IP65) with UHF reader (Impinj R2000) with a range of 18m

Industrial Data Terminal MobiPad XX-B6 is designed for resistance and convenience. The sleek and rugged 17mm thick design and stylish case will make the collector very well suited for industrial use and more. The unique size has been carefully thought out to make the device more comfortable and

ergonomic. The non-slip casing makes it safe and secure to hold it in your hand.

<b>Dimensions</b>	166 mm x 79 mm x 32 mm (not including the pistol grip and the shield)
<b>Net weight</b>	600g

## Capacitive screen



With the capacitive screen, the reaction of the device is not to directly press the screen, but to change the electrostatic field at the point where the device is touched. This allows for much more precise handling and gentle brushes on the screen. In addition, we can use multitouch technology, the ability to control our collector with a few fingers at once.

## RESISTANCE

MobiPad XY B6 v.6, Industrial manifold (IP65) with UHF reader (Impinj R2000) with a range of 18m and a 2D scanner (Zebra SE4710)

## IP65 Protection

The IP standard defines the degree of protection provided by the enclosure of an electrical device against such factors as: access to dangerous parts inside the enclosure, penetration of foreign matter, splashing or immersion.

<b>IP6X</b>	No ingress of dust, complete protection against contact. A vacuum must be applied. Test duration of up to 8 hours based on air flow.
<b>IPX5</b>	Protection against water jets (12.5 l / min) poured on the housing from any side.

## 1.5m drop resistance

Specially designed construction gives the machine a chance of accidental falls from up to 1.5 meters in operating mode, even on hard surfaces. In addition, the collector screen is protected by specially tempered glass Gorilla Glass.

## Extreme temperatures

MobiPad XX-B6 is suitable for continuous operation in both low and high temperatures in the range of -20°C to 50°C. When the device is off, it can handle temperatures ranging from -20°C to 70°C. In addition, the rugged industrial collector performs well in rooms with increased humidity, ensuring proper operation even with 95% relative humidity.

<b>Working Temp.</b>	-20°C from 50°C
<b>Storage Temp.</b>	-20°C to 70°C
<b>Humidity</b>	0 ~ 95%

## DATA COLLECTING

### Barcode scanner

MobiPad XY R6 v.6 - Industrial manifold (IP65) with UHF reader (Impinj R2000) with a range of 18m and a 2D scanner (Zebra SE4710) Barcode Reader allows you to read, decode and transfer stored data in barcode to your computer. Thanks to dynamic scanning method and the large range of reading, data collector is capable to carefully collecting data, which helps to increase the rate and efficiency of work. Simplified installation procedure, convenient and intuitive design allow to start scanner work very easy and quickly.

2D Scanner

Zebra SE4710

\*

Optional equipment, available on specific versions only.

### Radio Frequency Identification (RFID)

RFID is a technology used to identify objects and control the flow of products. Reading information from special tags that are attached to objects (but not only because RFID is also used to mark animals and even people) is done by radio. Depending on the type of tag, the amount of information it can store changes, as well as the maximum distance from which data can be read. RFID tags are an alternative to barcodes - more convenient and more efficient. Scanners operate at 865-868MHz.

This version is equipped with a scanner - Impinj R2000.

\*

Optional equipment, available on specific versions only

MobiPad XY R6 v.6 - Industrial manifold (IP65) with UHF reader (Impinj R2000) with a range of 18m and

## WIRELESS COMMUNICATION

### 4G Module

4G technology is based on a radio network with fast transmission and the rare occurrence of downtime or transfer errors. The main distinguishing feature of the 4G from its predecessor (3G) is the speed of transfer between devices. The fourth generation network offers 100 Mb / s of mobile internet speed and 25 Mb / s of packet transfer. Technology enables users, including: extremely fast radio networks, Internet access, personalized telephony, and access to modern media and games services.

<b>4G Module</b>	<u>FDD-LTE: B1/B2/B3/B4/B7 B2/B4/B7/B17/B20</u> <u>TDD-LTE: B38/B39/B40/B41</u>
<b>3G Module</b>	<u>WCDMA: 850/1900/2100MHz</u> <u>GSM/GPS/Edge: 850/900/1800/1900MHz</u>

### GPS Navigation

Mobile terminal  
MobiPad XX-B6 is equipped with a professional A-GPS module with combining low power consumption with high accuracy. Navigation is fast and smooth, allowing you to easily and easily reach any destination.

### Bluetooth 4.2

Bluetooth 4.2 enables wireless short-range communication between various electronic devices, such as the keyboard, computer, laptop, palmtop, mobile phone and many others. In the fourth version of this standard, energy consumption was reduced considerably, at the expense of lower transfer costs, and real operating coverage increased.

## Wi-Fi network

Dual-band Wi-Fi provides fast network access wherever you can connect to secured or open Wi-Fi networks. This is a convenient solution for people who have a work or residence router and a wireless network that can be used at no extra cost. The shock-resistant industrial collector is equipped with the latest 802.11n technology, which allows file transfer speeds up to 300 Mb/s.

<b>Standards</b>	802.11(a/b/g/n/ac)
<b>Frequencies</b>	2.4GHz + 5GHz (Dual-Band)

MobiPad XX-B6 v.6 Industrial manifold (IP65) with UHF reader (Impinj R2000) with a range of 18m and a 2D scanner (Zebra SE4710)

## APPLICATION

### Trade and Services

Thanks to their size and light weight, smartphone data collectors are a useful tool for sales representatives. Today's applications running under the collector system enable even entering the data collector's contractor database, which allows us to later search for it quickly by name or NIP number. We can do the same with our commodity base, which can work in parallel with the database of contractors. Additional use of collectors in the trade, such as sending orders or invoices directly to the company through the GSM network or Wi-Fi.

### Industry and Construction

Industrial data collectors are characterized by high resistance to adverse working conditions. Tightness, dust and water resistance of enclosures, certified by IP (dust and water resistance standards).



## Warehouse

An industrial data sheet is the ideal solution for quick stocktaking. In addition, depending on the software used, it streamlines the process of entering and delivering goods into the warehouse, enables price control and dispensing, helps to collect and order orders, and identifies customers and servicing the rental. The advantages of using data collectors are undoubtedly: time savings, customer satisfaction thanks to the correct price and speed of operation.



## ACCESSORIES AND AVAILABLE VERSIONS

The industry-leading MobiPad XX-B6 data collector is available in several versions to suit different needs. By clicking on the hardware configuration number you will be redirected to the product with the parameters given in the table below. In addition, on request, you can create a configuration not

currently available in the offer.

Mobipad XX-B6 can optionally be equipped with a docking station and additional battery.



More photos in full resolution available in the "Gallery".

	v.1	v.2	v.3	v.4	v.5	v.6	v.7	v.8	v.9
4GB RAM + 64GB ROM	—	—	—	—	—	—	—	—	—
Mindeo ME5600	—	—	—	—	+	—	+	+	—
Zebra SE4170	—	—	—	+	—	+	—	—	+
Impinj R2000 UHF (8-18m)	—	+	—	—	—	+	+	—	—
ThingMagic M6E Micro UHF (9-18m)	—	—	+	—	—	—	—	+	+
	v.10	v.11	v.12	v.13	v.14	v.15	v.16	v.17	v.18
4GB RAM + 64GB ROM	+	+	+	+	+	+	+	+	+
Mindeo ME5600	—	—	—	—	+	—	+	+	—
Zebra SE4170	—	—	—	+	—	+	—	—	+
Impinj R2000 UHF (8-18m)	—	+	—	—	—	+	+	—	—
ThingMagic M6E Micro UHF (9-18m)	—	—	+	—	—	—	—	+	+