

MobiScan FingerRing MS-01



MobiScan FingerRing MS01 RS232

ID LASER SCANNER

Category:	Mobile 1D/2D barcode scanner
Manufacturer:	Mobikator
Supported Operating Systems:	Android, iOS, Windows CE, Windows XP, Windows 7, Windows 8, Linux
Internal memory:	-
Operation Voltage:	5V - 85mA - DC
Battery:	-
Reading indicator:	1D LASER
Scan rate:	100 times per second
Light source:	Laser Diod 650 nm
Resolution:	-
Communication distance:	-
Readable codes:	UPC-A, UPC-E, EAN-13, EAN-8, ISBN/ISSN Code39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 of 5, Matrix 2 of 5, Codabar (NW7), Code 128, Code 93, Code11(USD-8), MSI.Plessey, UK/Plessey, UCC/EAN 128, China Post, GS1 Data
Readable codes:	UPC-A, UPC-E, EAN-13, EAN-8, ISBN/ISSN Code39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 of 5, Matrix 2 of 5, Codabar (NW7), Code 128, Code 93, Code11(USD-8), MSI.Plessey, UK/Plessey, UCC/EAN 128, China Post, GS1 Data
Sensor:	Laser Diod 650 nm

Scan Angle:	50°, 65°, 35°(Skew,Pitch,Roll)
Print Contrast Ratio:	>20%
Scan range:	(1mil= 0,0254 mm) 4mil: 42-75 mm 5 mil: 40-105 mm 10mil: 10-250 mm 15mil: 23-380 mm 20mil: 35-490 mm 30mil : 30-650 mm 55mil : 75-900 mm
Cable Type:	USB, RS232
Battery Life:	-
Communication:	RS232
Interface/ Prole:	Cable connection
Operating Temperature:	0°C ~ 50°C
Storage Temperature:	-20°C ~ 60°C
Relative Humidity:	5% ~ 90%, non-condensing
Resistance IP:	-
Drop test:	-
Barcodes 1D:	Barcodes 1D:
2 of 5 Chinese:	No
2 of 5 Discrete:	No
2 of 5 IATA:	No
2 of 5 Industrial:	Yes
2 of 5 Interleaved:	Yes
2 of 5 Matrix:	Yes
2 of 5 Standard:	No
BC - 412:	No
Bookland EAN:	No
Codabar:	No
Codabar - NW7:	Yes
Code - 11:	Yes
Code - 11(USD-8):	Yes
Code - 32:	Yes

Code - 39:	Yes
Code - 39 Extended (full ASCII):	Yes
Code - 39 Trioptic :	Yes
Code - 93:	Yes
Code - 128 (A, B, C):	Yes
EAN-8:	Yes
EAN-13:	Yes
EAN -128 / UCC-128:	No
GS1 DataBar:	No
Intelligent Mail:	No
ISBN:	Yes
ISBT - 128:	No
ISSN:	Yes
ITF-6:	No
ITF-14:	No
KIX code:	No
Matrix 25:	No
MSI:	Yes
MSI - Plessey:	Yes
Pharmacode - One Track:	No
Pharmacode - Two Track:	No
Planet:	No
Plessey:	No
Post - Australian (4-State Postal Code):	No
Post - China (4-State Postal Code):	Yes
Post - Japanese (4-State Postal Code):	No
Post - Singapore (4-State Postal Code):	No
PostNET:	No

Royal Mail (RM-4SCC):	No
Telepen Code:	No
UK/Plessey:	Yes
UPC - A:	Yes
UPC - E:	Yes
UPC - E1:	No
Barcodes 2D:	Barcodes 2D:
Aztec:	No
Composite code:	No
DataMatrix:	No
MaxiCode:	No
Micro PDF 417:	No
Micro QR Code :	No
PDF 417:	No
QR Code :	No
RSS:	No
TLC-39:	No
Housing material:	Plastic
Dimensions:	51.59 x 39.88 x 43.9 mm
Weight:	50 g

Product from the Archive - production finished

MobiScan

1D Laser

RS232 / USB

Wearable RING

MS-01
RS232



The company's **MobiScan** new distribution of Mobilator. Company achieved an excellent reputation as a manufacturer of bar code scanners. Due to the high position of the products in the high-tech won the trust of many customers around the world.

MobiScan

Barcode scanner is a device that allows you to read the barcode from the box or equipment. Business accessories MobiScan guarantee high product quality and serve for many years without loss quality and ability to trouble-free operation for many years.



mobilator.pl


MobiScan FingerRing MS01 RS232

Barcode scanner	1D
Support system	Android, iOS, Windows CE, Windows XP, Windows 7, Windows 8, Linux
Communication	Cable RS232/USB
Dimensions	51.59 x 39.88 x 43.9 mm
Weight	50g
Other	none

The detailed specification of the configuration available in the "**Technical data**"

[go top . . .](#)

Unusual, modern mini scanner (RS232) barcodes MobiScan FingerRing MS01 232 has been designed with users in mind, for which it is necessary to meticulous cataloging of all available information logistics in the form of electronic databases, spreadsheets, lists, forms, etc.



The ergonomic, handheld barcode reader will facilitate the work magazynierom, steady sellers, pharmacists, couriers, logistics specialists, quality auditors and inspectors of manufacturing processes and all those who work in need of cataloging and storing information sczytanych with barcodes.

1D Barcode Scanner - MobiScan MS-01 by connector RS 232 (which ensures proper communication) is compatible with mobile devices, data collectors and computers running on different operating systemch (see the text "Communication" - below).



The scanner surprises his appearance, like a box of matches, which was at the bottom of the ring engaged with the device required to impose on the index finger. This ergonomic, compact and extremely lightweight barcode reader with an appropriate surface texture provides a good grip and reduces hand fatigue with long hours of work.



MobiScan





barcode reader, 1D Laser, which is connecting via RS232 port device provides information on, among others, the name of the product, the type, approximate value, availability, and also allows for quick and convenient automatic grouping of data.

MobiScan FingerRing MS01 RS232



Designed to be tailored to different applications, wired (RS232) barcode scanner can be compatible with systems such as Android, iOS, Windows CE, Windows XP, Windows 7, Windows 8, Linux. Users can transmit data in real time to PCs or mobile devices.



Stationary (RS232) barcode readers through the use of laser read-out techniques are convenient and easy to use and offer a wealth of configuration parameters. Enable automatic operation and manual. Read the codes with different contrasts with a distance of several centimeters. By using wire communication RS232 connector coverage to 1.5 m from the computer.

New Portable Devices | NIP: 872-120-56-82 | Mobile.: +48 508 235 505 | e-mail: sklep@mobilator.pl
 Account number: ALIOR BANK SA 68 2490 0005 0000 4500 2328 8078

FingerRing MS01, Which the manufacturer recommends widely used in Situations where it is Necessary is a rapidly identify the goods in commerce, logistics, transportation, shipping, industrial, financial and public sectors.



Pharmacy

MS-01 allows quick identification and introduction of prescriptions to the database. With a small, lightweight construction is designed to effectively accepting orders.

Trade

The device is used for fast read-out bar codes. Certainly will be applied in all kinds of commercial networks.



Magazine

Mini barcode reader allows you to quickly update the inventory with the help of wired data transfer (RS232).

Logistics and transport

RING scanner will find all kinds of application also in transport - as stationary and super lightweight barcode reader for fast identification.



