

ooth®

E



Reinforced Waterproof Industrial Panel PC CCETouch CCETPC10AN v.2

Category:	Industrial Panel PC Computers
Manufacturer:	CCETouch
Screen size:	10.1"
Resolution:	1280 x 800
Aspect ratio:	16:9
Touchscreen:	10-point Capacitive
Chipset:	-----
CPU Support:	ARM Cortex A17 (4x 1.8 GHz)
Installed CPU:	ARM Cortex A17 (4x 1.8 GHz)
Memory Support:	up to 4GB (max);
Installed Memory:	2GB
Graphic Card:	ARM Mali-T764
Audio:	-----
Storage (HDD) Support:	8GB / 16GB NAND Flash
Installed Storage (HDD):	8GB Flash

CD/DVD Drive:	-----
LAN:	Yes(PoE)
Wireless LAN card:	Yes
Bluetooth:	Bluetooth 4.0
3G:	-----
GPS:	-----
TV Tuner:	-----
Watch Dog Timer:	Support watchdog software
Ports - front panel:	1x RS-2322x USB 2.01x Mini USB (OTG)1x LAN1x Audio1x DC-in
Ports - rear panel:	-----
Ports - left panel:	-----
Ports - right panel:	-----
Power:	PoE
Supported OS:	Android 6.0
Installed OS:	Android 6.0
Dimensions:	290 x 268 x 38mm
Weight:	3kg
Expansion:	Uchwyt VESA
Fanless:	Yes
Humidity:	10%~ 80%
Temp:	0°C ~ 60°C
Storage Temp:	-20°C ~ 85°C
IP Norm:	IP65 (front panel)
IP Level (back panel):	-----
IP Level (front panel):	IP65
Dual display:	Nie
Response time touch-panel (ms):	25
Contrast Ratio:	800:1

Brightness:	350 cd/m2
Viewing Angle:	89°/89°/89°/89°
Backlight MTBF:	LED
Color Resolution:	16.7 M
Surface hardness (display):	6H
Touch Life(contacts):	-----
Housing material:	Aluminum Alloy
Mounting VESA:	Yes
Folding Bracket (for office type working):	-----
Power Consumption:	-----
Others:	Power over Ethernet
Anti-vibration:	-----
Anti-shock:	-----
RFID scanner (reader):	-----
Barcode reader:	-----

Product from the Archive - production finished



Operator Panel Industrial
CCETouch CCETPC10AN

10" 10.1 inch

Screen Ratio 16:9

Resolution: 1280 x 800

RS232 Interface

LED Backlight

10 point capacitive

IP65
INGRESS PROTECTION



Industrial Panel PC

Industrial Panel PC are excellent in environments dominated by dust, dirt and moisture. They are ideal for applications that require quiet operation.

[go top...](#)



mobikator.pl

CCETouch

**Reinforced Waterproof Panel Industrial Computer CCETouch
CCETPC10AN v.1**

CCE 思易电子
Technology



Panel PC



CPU: ARM Cortex A17 (4x 1.8GHz)



RAM: 2GB



Flash memory: 8GB



System: Android 6.0



Screen: 10.1" / 1280x800 / 10 - point Capacitive



Expansion cards:


Bluetooth,
Wi-Fi

Detailed
specification of
the configuration
available in the
"Technical
data"

Using the latest technology Panel PC is designed for continuous multitasking operating with low power consumption. An important advantage is the effective combination of small size with considerable opportunities, through the use of **ARM Cortex** processor family and **2GB** of RAM. Integrated ARM Mali video graphics card and audio allow you to play a wide range of applications and media files (video, audio). Disks offer free space from **8GB** to **16GB**, which can be extended with a **Micro SD** card.

Dimensions:

Housing dimension are **290 x 206 x 38 mm**. Housing is made of high quality aluminum what ensures a very high resistance to mechanical damages. This model is ready at any time for operation even in extreme conditions such as heat, cold, vibration.



Cooling:

Reinforced Waterproof Panel Industrial Computer CCETouch CCETPC10AN is a series of devices for industrial applications requiring continuous operation – 24 hours, 7 days a week.

New Portable Devices | NIP: 872-120-56-82 | Mobile.: +48 508 235 505 | e-mail: sklep@mobilator.pl

Account number: ALIOR BANK SA 68 2490 0005 0000 4500 2328 8078



[go top...](#)

Communication:

Reinforced Waterproof Panel Industrial Computer CCETouch CCETPC10AN standard has a system of wireless Wi-Fi communication. Optionally in other models are available also modules such as 4G.



mobilator.pl

Connector:

Integrated **network card** and **Wi-Fi** module allows you to connect the device to the network. The computer is equipped with: one **LAN** connector, one **RS232** interface, one **Mini USB (OTG)** port, two **USB 2.0** ports, one **audio**, one **Micro SD** slot and a power **DC-in**.



- 1. LAN RJ-45
- 2. SIM (4G optional)
- 3. Micro SD
- 4. USB 2.0

- 5. USB 2.0
- 6. Micro USB (OTG)
- 7. Audio
- 8. RS232

- 9. DC-in*
- *(only version v.1 and v.3)

Reinforced Waterproof Panel Industrial Computer CCETouch CCETPC10AN has a water-resistant front panel and scratch resistant. With 1280x800 resolution and high brightness of 350 cd/m2, screen of "10 point capacitive" type with high sensitivity to touch, offers clear picture and ease of use.



10 point Capacitive



Capacitive screen

Operation of this type of screen is a bit more complex than the resistive screens, but the comfort of their use is much higher. In the capacitive screen capacitive electrodes are placed emitting weak electric field. If you touch the display, the intensity produced before the field is disturbed and the system will calculate respectively, where the disturbance occurred.



Screen capacitive

