




Rugged data collector MobiPad A355 HIGH 1D Laser Motorola SE955

| | |
|-------------------------------------|--|
| Category: | UMPC - Ruggedized |
| Manufacturer: | Mobilator |
| Operating System: | Android 4.2 |
| Display: | 3.5" (320x480) Capacitive |
| Brightness: | ~300Nit |
| Processor: | MediaTek MT6572 Dual-Core 1.4GHz |
| Memory: | 1GB |
| Hard Drive: | ----- |
| Flash Memory: | 8GB |
| Touch screen: | Yes - Capacitive |
| Durability: | IP65 |
| Drop: | 1.2m |
| Shock: | ----- |
| Vibration: | ----- |
| Temperature: | Operating temperature: -10°C -- 60°C Storage temperature: -20°C -- 70°C |
| Humidity: | 10% -- 90% |
| 1D barcode scanner (reader): | Motorola SE955 (Laser) |
| 2D barcode scanner (reader): | No (available in other configuration) |

| | |
|--|--|
| RFID scanner (reader): | NFC 13.56MHz |
| Other: | Thermal printer |
| Battery: | 3100mAh 7.4V Lithium |
| Working time on battery: | ~ 8h |
| Fast battery replacement ability: | Yes |
| HotSwap battery: | No |
| LAN: | ----- |
| WLAN: | IEEE 802.11 b/g/n |
| Bluetooth: | Bluetooth v4.0 |
| WAN: | 3G: WCDMA: HSPA+ (21.6Mb/s)2G: EDGE/GPRS/GSM |
| GPS: | Yes |
| Camera: | Rear: 5Mpx |
| In/Out: | OTG Micro USB SIM RS232 |
| Optional accessories: | ---- |
| Docking station connector: | No |
| VESA standard – holders and mounts support: | No |
| COM port: | Yes |
| Magnetic card reader (MSR): | ----- |
| Microchip card reader: | ----- |
| Contrast: | ----- |
| Graphics card: | ----- |
| Chipset: | ----- |
| BIOS: | ----- |
| Casing material: | High quality plastic |
| Flash Card Reader: | ----- |
| CD/DVD: | ----- |
| Audio: | Built-in speaker |
| Keyboard: | Onscreen + Keyboard + Function keys |

| | |
|--|----------------------------|
| Additional Navigation Devices : | ----- |
| Color: | Black |
| Swivel Hinge: | ----- |
| VGA out: | No |
| TV Out: | ----- |
| TV Tuner: | ----- |
| Security: | ----- |
| Waterproof: | IP65 |
| Sand and dust: | IP65 |
| Size: | 220mm x 85mm x 59mm - 570g |
| Fanless casing: | Yes |

Product from the Archive - production finished



Specification

The collection and processing of data

Resistance

Modules and wireless networks

Application

Minimalism and comfort

Industrial Data Collector MobiPad A355 has a specially designed, reinforced structure, adapted to harsh environmental conditions. Similarly, as the equipment produced for the military, meets the requirements of IP65 norm. Thanks to its structure is resistant to dust and water. The device is proper for use in the home and industry.

Specification

| | |
|--------------------|--------------------------------------|
| Processor | MediaTek MT6572 Dual-Core 1.4GHz |
| RAM | 512MB (optionally 1GB) |
| Flash memory | 4GB (optionally 8GB) |
| Connectors | OTG Micro USB SIM RS232 |
| Display | 3.5" (320x480) Capacitive |
| GPS | Yes |
| Audio | Built-in speake |
| Battery | 3100mAh 7.4V Lithium |
| Camera (option) | Rear: 5Mpx |
| Keyboard | Physical + Function Keys On-Screen |
| Operating system | Android 4.2 |
| Modules | Bluetooth Wi-Fi GPS 3G |
| Readers (optional) | NFC 1D Scanner 2D Scanner |
| Dimensions | 220mm x 85mm x 59mm |
| Weight | 570g |
| Resistance | IP65 |
| Drop test | 1.2m |

Check "Available versions" tab to see available configurations of this device. To get more information about this product click "**Ask about the product**" or use the [Contact form](#).



MobiPad A355 is offered with the latest MediaTek MT6572 processor to ensure the highest performance, low power consumption and long battery life. The data collector works with Android 4.2 operating system to meet the growing requirements in industrial applications.



Select the version dedicated to yourself

Select a version tailored to your needs. Clicking on the hardware number configurations will redirect you to the product with parameters listed below. At the customer's request can be created configurations which are not available in the offer. Detailed parameters are available in the "Technical Data".

| | Scanner 1D | Scanner 2D | Camera | 1GB ROM 8GB RAM |
|---------------------|------------|------------|--------|--------------------|
| v.1 | — | — | — | — |
| v.2 | — | — | — | — |
| v.3 | — | — | — | — |
| v.4 | — | — | — | — |
| v.5 | — | — | — | — |
| v.6 | — | — | — | — |

The collection and processing of data

Barcode Scanner

Barcode Reader allows you to read, decode and transfer stored data in barcode to your computer. Thanks to dynamic scanning method and the large range of reading, data collector is capable to carefully collecting data, which helps to increase the rate and efficiency of work. Simplified installation procedure, convenient and intuitive design allow to start scanner work very easy and quickly



Printer

MobiPad A355 with built-in thermal printer is designed to work in the field, where it can be used to print receipts and receipts. A small number of moving parts and a robust design ensure trouble-free operation even in the harshest conditions. The use of thermal printing technology eliminates the need for expensive ink or toner. No matter how many

pages will be printed pages - ink in the printer does not run out.



| | |
|-----------------|------------------------------|
| Printing method | Direct thermal line printing |
| Paper width | 58mm |
| Printing speed | 60mm/s |

NFC

Near field communication (NFC) is a set of ideas and technology that enables smartphones and other devices to establish radio communication with each other by touching the devices together or bringing them into proximity to a distance of typically 10 cm (3.9 in) or less.



| | |
|---------------|--------------------------------|
| Frequency | 13.56MHz |
| Protocols | ISO14443A, ISO14443B, ISO15693 |
| Mifare | Yes |
| Read distance | ~5cm |

Resistance


[back to top...](#)











| | |
|---------------------|-----------|
| Work temperature | -10 do 60 |
| Storage temperature | -20 do 70 |
| Work humidity | 35% - 80% |
| Storage humidity | 10% - 90% |
| Dust resistance | IPx6 |
| Water resistance | IPx5 |
| Drop test | 1.2m |

Resistance IP65

IP stands for Ingress Protection and is essentially a rating system developed by the International Electrotechnical Commission or the IEC. The system is now being used to classify different degrees of protection against intrusion or immersion. The IP rating is usually followed by two digits. The first indicates the level of dust-resistance, the second water resistance. Dust-resistance levels goes from 0 up to 6 while water-resistance goes from 0 to 8.

| | | | | |
|---------------|---|---|---|---------------|
| No protection | 0 |  | 0 | No protection |
|---------------|---|---|---|---------------|

| | | | | |
|--|---|---|---|--|
| Protection against any large surface of the body, such as the back of a hand | 1 |  | 1 | Protection against vertically dripping water |
| Protection from object > 12mm, e.g. Fingers or similar objects | 2 |  | 2 | Protection against vertically dripping water when device is tilted at an angle up to 15 degrees |
| Protection from object > 2.5mm, e.g. tools, thick wires, etc. | 3 |  | 3 | Protection against direct sprays of water when device is tilted at an angle up to 60 degrees |
| Protection from object > 1mm, e.g. most wires, slender screws, large ants etc. | 4 |  | 4 | Protection from sprays and splashing of water in all directions |
| Dust protected - Ingress of dust is almost entirely prevented. | 5 |  | 5 | Protection from low pressure water projected from a nozzle with a 6.3mm diameter opening in any direction |
| Dust tight - No ingress of dust, complete protection against contact. | 6 |  | 6 | Protection from water projected in powerful jets from a nozzle with a 12.5mm diameter opening in any direction |
| — | 7 |  | 7 | Protected from immersion in water with a depth of up to 1 meter (or 3.2ft) for up to 30 mins |
| — | 8 |  | 8 | Protected from immersion in water with a depth of more than 1 meter |

Modules and wireless networks

[back to top...](#)



Thanks to the WCDMA module, you only need to insert a SIM card in the slot and you are able to instantly connect to the internet. Integrated software allows you to automatically detect and configure connections to mobile networks. Internal 3G module used in MobiPad A355 adjusts automatically to transfer and network coverage.

| | |
|-------------|--|
| Wi-Fi | 802.11 b/g/n |
| GPS | GPS |
| Bluetooth | Bluetooth 4.0 |
| WWAN | 3G: WCDMA: HSPA+ (21.6Mb/s) 2G: EDGE/GPRS/GSM |
| Phone calls | Yes |

Application

[back to top...](#)

Industrial data collector MobiPad A355 is specifically designed for use in harsh industrial environments, as well as on the outside. Resistant plastic housing protects the display from the outside against mechanical damage, drops of water, sand and dust. MobiPad A355 is the best solution in conditions where there is dust or moisture.



Data collectors in the form of tablets and smartphones, thanks to its functionality and the ability to install in them a number of modules have been used in almost all fields of industry and not only. Collectors equipped with barcode scanners and RFID are primarily used in warehouses where, thanks to them, time-consuming activities will no longer be a problem. In turn, NFC readers can be used in both the smaller and larger stores as a payment card reader, making the payment becomes fast and convenient as never before.

Minimalism and comfort

[back to top...](#)

You no longer need to worry about whether you will put your device into a briefcase, backpack or travel bag, this problem disappears forever with MobiPad A355. The device weighs just 570g and its dimensions (220mm x 85mm x 59mm) allow you to take this device everywhere.

