



Rugged data collector MobiPad A800NS v.4

| | |
|-------------------------------------|--|
| Category: | UMPC - Ruggedized |
| Manufacturer: | Mobikator |
| Operating System: | Android 7.0 |
| Display: | 4" IPS (800x480) Capacitive |
| Brightness: | ~300Nit |
| Processor: | ARM Cortex A-53 64Bit Quad Core 1.3GHz |
| Memory: | 2GB |
| Hard Drive: | 16GB |
| Flash Memory: | Yes |
| Touch screen: | Yes - Capacitive |
| Durability: | IP65 |
| Drop: | 1.2m |
| Shock: | ----- |
| Vibration: | ----- |
| Temperature: | Operating temperature: -20°C -- 50°C Storage temperature: -25°C -- 70°C |
| Humidity: | 5% -- 95% non-condensation |
| 1D barcode scanner (reader): | ----- |
| 2D barcode scanner (reader): | Honeywell N6603 |

| | |
|--|--|
| RFID scanner (reader): | ----- |
| Other: | ----- |
| Battery: | 4500mAh 3.7V Li-Poly |
| Working time on battery: | ----- |
| Fast battery replacement ability: | Yes |
| HotSwap battery: | No |
| LAN: | ----- |
| WLAN: | IEEE 802.11b/g/n |
| Bluetooth: | Yes |
| WAN: | 4G: TDD-LTE (B38,B39,B40,B41), FDD-LTE (B1,B3)3G: B1, B2, B5, B82G: GSM/EDGE/GPRS (850, 900, 1800, 1900MHz) |
| GPS: | GPS + AGPS |
| Camera: | ----- |
| In/Out: | Micro SDSIMMicro USB |
| Optional accessories: | ---- |
| Docking station connector: | Yes |
| VESA standard – holders and mounts support: | No |
| COM port: | No |
| Magnetic card reader (MSR): | ----- |
| Microchip card reader: | ----- |
| Contrast: | ----- |
| Graphics card: | ----- |
| Chipset: | ----- |
| BIOS: | ----- |
| Casing material: | High quality plastic and rubber |
| Flash Card Reader: | micro SD |
| CD/DVD: | ----- |
| Audio: | Built-in microphone and speaker |

| | |
|--|-------------------------------------|
| Keyboard: | Onscreen + Keyboard + Function keys |
| Additional Navigation Devices : | ----- |
| Color: | Black or Orange |
| Swivel Hinge: | ----- |
| VGA out: | No |
| TV Out: | ----- |
| TV Tuner: | ----- |
| Security: | ----- |
| Waterproof: | IP65 |
| Sand and dust: | IP65 |
| Size: | 152mm x 77mm x 29mm - 500g |
| Fanless casing: | Yes |

Product from the Archive - production finished

MOBIPAD A800NS HANDHELD



Specification

The collection and processing of data

Resistance

Modules and wireless networks

Application

Minimalism and comfort

Industrial Data Collector MobiPad A800NS has a specially designed, reinforced structure, adapted to harsh environmental conditions. Similarly, as the equipment produced for the military, meets the requirements of IP65 norm. Thanks to its structure is resistant to dust and water. The device is proper for use in the home and industry.

Specification

| | |
|------------------|--|
| Processor | ARM Cortex A-53 64Bit Quad Core 1.3GHz |
| RAM | 2GB |
| Flash memory | 16GB |
| Connectors | SIM MicroSD Micro USB Cradle connector |
| Display | 4" IPS (800x480) Pojemnościowy |
| GPS | GPS + A-GPS |
| Audio | Built-in speaker and microphone |
| Battery | 4500mAh 3.7V Li-Poly |
| Keyboard | Physical + Function Keys On-Screen |
| Operating system | Android 7.0 |
| Modules | Bluetooth Wi-Fi GPS/A-GPS 4G |
| Reader | 2D Honeywell N6603 |
| Dimensions | 152mm x 77mm x 29mm |
| Weight | 500g |
| Resistance | IP65 |

Check "Available versions" tab to see available configurations of this device. To get more information about this product click "[Ask about the product](#)" or use the [Contact form](#).



MobiPad A800NS is offered with the latest ARM Cortex A-53 processor to ensure the highest performance, low power consumption and long battery life. The data collector works with Android 7.0 operating system to meet the growing requirements in industrial applications.



Select the version dedicated to yourself

Select a version tailored to your needs. Clicking on the hardware number configurations will redirect you to the product with parameters listed below. At the customer's request can be created configurations which are not available in the offer. Detailed parameters are available in the "Technical Data".

| | v.1 | v.2 | v.3 | v.4 | v.5 | v.6 | v.7 |
|--------------------|-----|-----|-----|-----|-----|-----|-----|
| 1D Minde 966 | - | + | - | - | - | - | - |
| 1D Honeywell N4313 | - | - | + | - | - | - | - |
| 2D Honeywell N6603 | - | - | - | + | - | - | - |
| 2D Honeywell N3603 | - | - | - | - | + | - | - |
| 2D Honeywell N3680 | - | - | - | - | - | + | - |

| | | | | | | | |
|--------------------|-----|-----|------|------|------|------|------|
| 2D Newland EM3090 | - | - | - | - | - | - | + |
| NFC | - | - | - | - | - | - | - |
| | v.8 | v.9 | v.10 | v.11 | v.12 | v.13 | v.14 |
| 1D Minde 966 | - | + | - | - | - | - | - |
| 1D Honeywell N4313 | - | - | + | - | - | - | - |
| 2D Honeywell N6603 | - | - | - | + | - | - | - |
| 2D Honeywell N3603 | - | - | - | - | + | - | - |
| 2D Honeywell N3680 | - | - | - | - | - | + | - |
| 2D Newland EM3090 | - | - | - | - | - | - | + |
| NFC | + | + | + | + | + | + | + |

Available colors



POMARAŃCZOWY



CZARNY

Barcode Scanner

Barcode Reader allows you to read, decode and transfer stored data in barcode to your computer. Thanks to dynamic scanning method and the large range of reading, data collector is capable to carefully collecting data, which helps to increase the rate and efficiency of work. Simplified installation procedure, convenient and intuitive design allow to start scanner work very easy and quickly



Radio-Frequency Identification (RFID)

RFID is a technology used to identify objects and to control the flow products. Reading of information from the special tags that are attached to objects (but not only, because RFID is also applicable to the identification of the animals and even humans) followed by radio. Depending on the type of tag changes the amount of information that can hold as well as the maximum distance at which data can be read. RFID tags, is an alternative to bar codes - more comfortable and more efficient.

| | |
|---------------|------------------------------|
| Type | RFID LF |
| Frequency | 125kHz, 134kHz (FDX-B / HDX) |
| Protocols | ISO11784/5, ISO18000-2 |
| Read distance | 3-8cm |



NFC

Near field communication (NFC) is a set of ideas and technology that enables smartphones and other devices to establish radio communication with each other by touching the devices together or bringing them into proximity to a distance of typically 10 cm (3.9 in) or less.

| | |
|---------------|--------------------------|
| Frequency | 13.56MHz |
| Protocols | ISO/IEC 18092 (ECMA 340) |
| Read distance | 2-4cm |

Resistance


[back to top...](#)











| | |
|------------------|---------------------------|
| Work temperature | -20 to 50 |
| Humidity | 5% - 95% (non-condensing) |
| Dust resistance | IPx6 |
| Water resistance | IPx5 |
| Drop resistance | 1.2m |

Resistance IP65

IP stands for Ingress Protection and is essentially a rating system developed by the International Electrotechnical Commission or the IEC. The system is now being used to classify different degrees of protection against intrusion or immersion. The IP rating is usually followed by two digits. The first indicates the level of dust-resistance, the second water resistance. Dust-resistance levels goes from 0 up to 6 while water-resistance goes from 0 to 8.

| The first digit [x] Protection against solid objects | Protection Level | The second digits [y] Protection against liquids |
|---|---|---|
| No special protection | 0  0 | No special protection |

| The first digit [x] Protection against solid objects | Protection Level | The second digits [y] Protection against liquids |
|---|---|--|
| Protection from solid objects greater than 50mm in diameter |  | Protection from dripping water |
| Protection from object not greater than 12mm in diameter |  | Protection from vertically dripping water (tilted up to 15°) |
| Protection from object not greater than 2,5mm in diameter |  | Protection from sprayed water (tilted up to 60°) |
| Protection from object not greater than 1mm in diameter |  | Protection from splashed water |
| Complete protection against contact, Protection against dust deposit |  | Protection from water projected from a nozzle |
| Complete protection against contact, Protection from infiltration of dust |  | Protection against heavy seas, or powerful jets of water |
| |  | Protection against immersion |
| |  | Protection against complete, continuous submersion in water |

Modules and wireless networks

[back to top...](#)



Thanks to the WCDMA module, you only need to insert a SIM card in the slot and you are able to instantly connect to the internet. Integrated software allows you to automatically detect and configure connections to mobile networks. Internal 4G module used in MobiPad A800NS adjusts automatically to transfer and network coverage.

| | |
|---------------|---|
| Wi-Fi | 802.11 b/g/n |
| GPS | GPS + A-GPS |
| Bluetooth | Bluetooth 2.0/3.0/4.1, Read distance: 5-10m |
| 3G (optional) | 4G: TDD-LTE (B38,B39,B40,B41), FDD-LTE (B1,B3) 3G: B1, B2, B5, B8 2G: GSM/EDGE/GPRS (850, 900, 1800, 1900MHz) |
| Phone calls | Yes |

Application

[back to top...](#)

Industrial data collector MobiPad 7SA07 is specifically designed for use in harsh industrial environments, as well as on the outside. Resistant plastic housing protects the display from the outside against mechanical damage, drops of water, sand and dust.

MobiPad 7SA07 is the best solution in conditions where there is dust or moisture.



Data collectors in the form of smartphones, thanks to its functionality and the ability to install in them a number of modules have been used in almost all fields of industry and not only. Collectors equipped with barcode scanners and RFID are primarily used in warehouses where, thanks to them, time-consuming activities will no longer be a problem. In turn, NFC readers can be used in both the smaller and larger stores as a payment card reader, making the payment becomes fast and convenient as never before.

Minimalism and comfort

[back to top...](#)

You no longer need to worry about whether you will put your device into a briefcase, backpack or travel bag, this problem disappears forever with MobiPad A800NS. The device weighs just 500g and its dimensions (152mm x 77mm x 29mm) allow you to take this device everywhere.

