



## Rugged Tablet CILICO C7-1D


<b>Category:</b>	UMPC - Ruggedized
<b>Manufacturer:</b>	CILICO
<b>Operating System:</b>	Android 4.2.2
<b>Display:</b>	7" (1280x720) LCD   Multi-Touch   Szkło hartowane
<b>Brightness:</b>	-----
<b>Processor:</b>	Mediatek MT6582 ARM® Cortex®-A7 (Quad Core 4x - 1.3GHz)
<b>Memory:</b>	1GB
<b>Hard Drive:</b>	4GB
<b>Touch screen:</b>	Yes - capacitive
<b>Durability:</b>	IP65
<b>Drop:</b>	1.2meters
<b>Shock:</b>	-----
<b>Vibration:</b>	-----
<b>Temperature:</b>	Operating temperature: -10°C -- +60°C Storage temperature: -20°C -- +65°C
<b>Humidity:</b>	5% - 90% bez kondensacji
<b>1D barcode scanner (reader):</b>	<b>(1D) MINDEO™ UE966 (LASER)</b>
<b>2D barcode scanner (reader):</b>	none (available in other configurations)
<b>RFID scanner (reader):</b>	<b>NFC (13.56MHz)</b> ISO 14443A/B15693
<b>Other:</b>	Accessories:1x - Charger 1x - microUSB Cable 1x - Battery Charging Station (optional) Sensors:G-Sensor Distance Sensor Light Sensor E-Compass
<b>Battery:</b>	Li-Polymer 7200mAh

<b>Working time on battery:</b>	Operating time (depending on usage) - 6hStandby time - 168h
<b>Fast battery replacement ability:</b>	Nie
<b>HotSwap battery:</b>	No
<b>LAN:</b>	-----
<b>WLAN:</b>	IEEE 802.11b/g/n
<b>Bluetooth:</b>	Bluetooth v4.0
<b>WAN:</b>	2G: 850/900/1800/1900 Mhz3G: 850/2100MHz
<b>GPS:</b>	GPS + A-GPS
<b>Camera:</b>	REAR: 8MPX (Auto Focus+ Flash)
<b>Optional accessories:</b>	-----
<b>Docking station connector:</b>	-----
<b>VESA standard - holders and mounts support:</b>	-----
<b>COM port:</b>	No
<b>Magnetic card reader (MSR):</b>	-----
<b>Microchip card reader:</b>	-----
<b>Contrast:</b>	-----
<b>Graphics card:</b>	Mali-400 MP
<b>Chipset:</b>	-----
<b>BIOS:</b>	-----
<b>Casing material:</b>	high quality plastic and rubber
<b>Flash Card Reader:</b>	Yes - max. 32GB
<b>CD/DVD:</b>	-----
<b>Audio:</b>	Built-in Microphone   Built-in Speaker   Receiver   Audio Jack
<b>Keyboard:</b>	on-ScreenHome   Menu   Return   ON / OFF   Volume2x - Barcode Trigger
<b>Additional Navigation Devices :</b>	-----
<b>Color:</b>	black or white
<b>Swivel Hinge:</b>	-----
<b>VGA out:</b>	-----
<b>TV Out:</b>	-----
<b>TV Tuner:</b>	-----
<b>Security:</b>	IP65
<b>Waterproof:</b>	IPx5
<b>Sand and dust:</b>	IP6x
<b>Size:</b>	188*99*14mm350g
<b>Fanless casing:</b>	Yes

## Product from the Archive - production finished



Tablet CILICO C7 adopts the combination of platformization and modular function design concept. It not only has intelligent operation platform, but also has modular functions with flexible configuration. So it can satisfy the customized requirements from different customer.



**1D/2D Laser**



1 00 23183 00941 4



Processor	Mediatek MT6582 ARM® Cortex®-A7 (Quad Core 4x - 1.3GHz)
Graphics	Mali-400 MP
Display	7" (1280x720) LCD   Multi-Touch   Corning Glass
Type of display	Capacitive
RAM	1GB LPDDR2
ROM	4GB EMMC
Connectors (factory)	MicroUSB (OTG)   MicroSD   Port SIM   Audio Jack   Docking
GPS (factory)	GPS + A-GPS
Audio	New Portable Devices   NIP: 872-120-56-82   Mobile.: +48 508 235 505   e-mail: sklep@mobilator.pl Account number: ALIOR BANK Sp. z o.o. 0000-4500-23288078K
Camera (REAR)	8Mpx (Autofocus + Flash)

Operating mode (depending of usage) - 9h

System	Android 4.2.2
Modules (factory)	802.11 b/g/n   Bluetooth v4.0   2G/3G   GPS   NFC
Modules (optional)	(1D) MINDEO™ UE966 (LASER)   (1D/2D) NEWLAND™ EM3095 (CMOS)
Housing	Black
Dimensions	188*99*14mm   350g (z baterią)
Resistance	IP65
Sensors (factory)	G-Sensor   Distance Sensor   Light Sensor   E-Compass
Warranty	12 months

Refer to the "Technical Data" that possibility is a version of the device. To gain additional information about the product click on the "Request for information" or go to the **contact form**.



## Version for you

Refer to the "Technical Data" overlap - what possibility have subsequent versions of the devices. To gain additional information about the product click on the "Ask about the product" or go to the contact form.

	1D	2D
1D (LASER)	✓	-
1D/2D (CMOS)	-	✓
NFC	✓	✓

[go top...](#)



**7200mA.h**  
stand-by time **7** days



Operating	-10°C -- +60°C
Storage	-20°C -- +65°C
Humidity	5% - 90% non-condensing
Dust	IP6x (dust)
Water	IPx5 (water)
Drop	1.2m

**Resistance**

IP stands for Ingress Protection and is essentially a rating system developed by the International Electrotechnical Commission or the IEC. The system is now being used to classify portable devices. NIP: 872-120-56-82 | Mobile: +48 508 235 505 | e-mail: sklep@mobile.pl  
Account number: ALIOR.BANK SA 68 2490 0005 0000 4500 2328 8078  
usually followed by two digits. The first indicates the level of dust-resistance, the second water resistance. Dust-resistance levels goes from 0 up to 6 while water-resistance goes

## Barcode Scanner







**4000mA.h**  
stand-by time **72** hours



With 3G module, you need only insert a SIM card into a special slot and can immediately connect to the Internet. Integrated software allows you to automatically recognize and customize mobile networks. Also used in internal C5 WCDMA module adapts automatically to transfer and network coverage.

WIFI	802.11 a/b/g/n
GPS (Standard)	GPS + A-GPS
Bluetooth	Bluetooth v4.0
2G/3G	850/900/1800/1900 Mhz
	850/2100MHz
	The ability to make voice calls

The latest WiFi wireless module operating in 802.11n provides a very fast and secure communication with the AP tablet such as a router, providing a fast and convenient web browsing, smooth playback of HD video.

[go top...](#)

## **Minimalism**


C7 weighs only 350g and its dimensions (188 x 99 x 14mm) allow you to take it with them everywhere. With sleek performance and energy efficiency is on the forefront of devices in this segment and enjoys great popularity on the Polish market in the industrial segment.

**Dimensions**

188\*99\*14mm

**Weight**

350g (with battery)



[go top...](#)  

more photos in the "**Photo Gallery**" ...

**specification** of this version is available in the "Technical data" ...