



android 10

Sender S917V9 v.6 - rugged industrial tablet with IP68, efficient battery and MSM8953 processor, UHF RFID scanner and 4GB RAM

Category:	UMPC - Ruggedized
Manufacturer:	Sender
Operating System:	Android 10.0
Display:	10.1" (1920x1200px)
Brightness:	500 Nit
Processor:	Qualcomm MSM8953 (8x 2GHz)
Memory:	4GB
Hard Drive:	----
Flash Memory:	64GB EMMC
Touch screen:	Capacitive
Durability:	IP68
Drop:	1.2m (MIL-STD 810)
Shock:	MIL-STD 810
Vibration:	MIL-STD 810
Temperature:	Operating temperature: -20°C -- 55°CStorage temperature: -40°C -- 60°C
Humidity:	5% -- 95%

1D barcode scanner (reader):	No (available in other configuration)
2D barcode scanner (reader):	No (available in other configuration)
RFID scanner (reader):	RFID HF: Support NFC/NXP,13.56MHZ ISO14443A,B and ISO15693 protocol, Reading distance 0-3cm UHF RFID 902-928MHzz
Other:	Sensors: gravity sensor, e-compass, acceleration sensor, light and distance sensor
Battery:	3.8V 10000mAh Lithium
Working time on battery:	8h
Fast battery replacement ability:	No
HotSwap battery:	No
LAN:	Yes
WLAN:	IEEE 802.11 a/b/g/n/ac
Bluetooth:	Bluetooth 4.1
WAN:	4G: FDD-LTE/TDD-LTE3G/2G: GSM, WCDMA, TD-SCDMA
GPS:	Yes
Camera:	Rear: 13Mpx, FlashFront: 5Mpx
In/Out:	Audio Jack Charging port HDMI USB-C RJ-45 USB-A
Optional accessories:	Car holder, wrist strap, shoulders strap
Docking station connector:	Yes
VESA standard – holders and mounts support:	No
COM port:	No
Magnetic card reader (MSR):	No
Microchip card reader:	No
Contrast:	-----
Graphics card:	Qualcomm® Adreno™ 506 GPU, 650Mhz
Chipset:	-----
BIOS:	-----
Casing material:	-----

Flash Card Reader:	micro SD (max. 512GB)
CD/DVD:	-----
Audio:	Built-in microphone and speaker
Keyboard:	Onscreen
Additional Navigation Devices :	-----
Color:	Orange
Swivel Hinge:	-----
VGA out:	No
TV Out:	-----
TV Tuner:	No
Security:	MIL-STD 810
Waterproof:	IPX8
Sand and dust:	IP6X
Size:	277 x 183 x 19mm - 1109g
Fanless casing:	Yes
Weight:	1109g

Product from the Archive - production finished



SPECIFICATION

RESISTANCE

DATA COLLECTING

WIRELESS COMMUNICATION

APPLICATION

AVAILABLE VERSIONS AND ACCESSORIES

Senter S917V9 is a modern, waterproof industrial tablet designed for extreme applications. It has a specially designed, reinforced construction that meets the requirements of IP67, which confirms the protection of the device against dust and water. Like the military equipment, the tablet has the MIL-STD 810 military standard.

SPECIFICATION

Senter S917V9	
Processor	Qualcomm MSM8953 (8x 2GHz)
Graphics	Adreno 506 GPU
Operating system	Android 10.0
RAM	4GB
ROM	64GB
Display	10.1" 1920 x 1200
Touch screen	Capacitive
Battery	3.8V/10000mAh
Camera	5Mpx Front 13Mpx Rear
Protection	IP68 MIL-STD 810
Communication	2G/3G/4G Bluetooth NFC Wi-Fi GPS GPS UBLOX M8N*
Connectors	Audio Jack Charging port HDMI USB-C LAN USB-A
Memory card	Micro SD (max. 512GB)
SIM card	Micro SIM
RFID Reader	NFC/RFID 13.56MHz RFID LF* RFID UHF
2D Scanner *	Honeywell N6603

★

Optional equipment, available on specific versions only.



Detailed device specification is available in the "Technical data" tab.

Dustproof industrial tablet Senter S917V9 was equipped with high performance, energy-efficient Qualcomm processor. Inside, there are eight cores that allow for more efficient processing of multiple tasks simultaneously. Shared caching, which uses a multi-level hierarchy, is dynamically allocated to each processor core according to the load. This reduces the average access time to main memory. Enhanced graphics card technology lets you enjoy full FHD video and movies. Low power consumption guarantees long battery life.


Ergonomic design



Senter S917V9 industrial tablet is designed for resistance and convenience. The sleek and rugged 19mm thick design and stylish case will make the tablet very well suited for industrial use and more. The unique size has been carefully thought out to make the device more comfortable and ergonomic. The non-slip casing makes it safe and secure to hold it in your hand, and the rubber corners further protect your device against possible damage as a result of falls.


Dimensions	277 x 183 x 19mm
Net weight	1109g


Capacitive screen



With the capacitive screen, the reaction of the device is not to directly press the screen, but to change the electrostatic field at the point where the device is touched. This allows for much more precise handling and gentle brushes on the screen. In addition, we can use multitouch technology, the ability to control our tablet or the collector with a few fingers at once.

Connectors and dimensions





RESISTANCE



IP68 Protection

The IP standard defines the degree of protection provided by the enclosure of an electrical device against such factors as: access to dangerous parts inside the enclosure, penetration of foreign matter, splashing or immersion.

IP6X	No ingress of dust, complete protection against contact. A vacuum must be applied. Test d
IPX8	Ingress of water in harmful quantity shall not be possible when the enclosure is immersed in water under defin



MIL-STD 810 Standard

The MIL-STD-810 is a strict military standard used in the United States Army. It determines the immunity of the equipment to severe environmental and weather conditions such as extreme low and high temperatures, temperature changes, rain or dust, as well as various accidents (shocks, floods, high altitude falls, etc.). Although the MIL-STD-810 is mainly used for military equipment, it is often used by private companies that produce equipment that requires unmatched durability.



1.2m drop resistance

Specially designed construction gives the machine a chance of accidental falls from up to 1.2 meters in operating mode, even on hard surfaces. In addition, the tablet screen is protected by specially tempered glass Gorilla Glass.

Extreme temperatures

SenterS917V9

is suitable for continuous operation in both low and high temperatures in the range of -20 ° C to 55 ° C. When the device is off, it can handle temperatures ranging from -40 ° C to 60 ° C. In addition, the rugged industrial tablet performs well in rooms with increased humidity, ensuring proper operation even with 95% relative humidity.

Working Temp.	-20°C to 55°C
Storage Temp.	-40°C do 60°C
Humidity	5% do 95%

DATA COLLECTING

NFC

Short-range communication, known as NFC, is a radio communication standard that allows for wireless data exchange at a distance of a few centimeters. This technology is a simple extension of the proximity card standard that combines smart card interface and reader in one device. NFC devices can communicate with existing equipment in the standard ISO / IEC 14443 (cards and readers) as well as with other NFC devices, and thus are compatible with existing and already used public transport and payment infrastructures such as MIFARE.

NFC 13.56MHz

Support protocols ISO14443A,
ISO14443B, ISO15693, MIFARE
Classic

Read distance 3cm



RFID Reader

RFID is a technology used to identify objects and to control the flow products. Reading of information from the special tags that are attached to objects (but not only, because RFID is also applicable to the identification of the animals and even humans) followed by radio. Depending on the type of tag changes the amount of information that can hold as well as the maximum distance at which data can be read. RFID tags, is an alternative to bar codes - more comfortable and more efficient.

RFID LF (option)	<u>Option 1:</u> 134.2KHz (FDX), read distance up to 3cm Support ISO11784/5, IC cards <u>Option 2:</u> 125KHz, support ID cards
RFID UHF	Built-in ceramic antenna Support EPC C1 GEN2/ISO 18000-6C protocol Read distance up to 1m

Barcode scanner (option)



2D Barcode Scanners

Honeywell
N6603

Barcode Reader allows you to read, decode and transfer stored data in barcode to your computer. Thanks to dynamic scanning method and the large range of reading, data collector is capable to carefully collecting data, which helps to increase the rate and efficiency of work. Simplified installation procedure, convenient and intuitive design allow to start scanner work very easy and quickly.

WIRELESS COMMUNICATION

4G Module

4G technology is based on a radio network with fast transmission and the rare occurrence of downtime or transfer errors. The main distinguishing feature of the 4G from its predecessor (3G) is the speed of transfer between devices. The fourth generation network offers 100 Mb / s of mobile internet speed and 25 Mb / s of packet transfer. Technology enables users, including: extremely fast

radio networks, Internet access, personalized telephony, and access to modern media and games services.

4G Module	<u>FDD-LTE</u> : B1/B3/B5/B7/B8 2100/1800/850/2600/900 <u>TDD-LTE</u> : Band38:2570 MHz - 2620 MHz, Band39: 1880 MHz - 1920 MHz, B41: 2555-2655MHz, B40: 2300-2400MHz, B38/B39/B41/B40/B38/B39/B40/B41
3G Module	<u>GSM</u> : 850/900/1800/1900 B5/B8/B3/B2 <u>WCDMA</u> : B1/B2/B4 2100/1900/1700 <u>TD-SCDMA</u> : B34/B39

GPS Navigation

Waterproof tablet Senter S917V9 is equipped with a professional GPS module with Beidou and GLONASS support, combining low power consumption with high accuracy. Navigation is fast and smooth, allowing you to easily and easily reach any destination.

Bluetooth 4.1

Bluetooth enables wireless short-range communication between various electronic devices, such as the keyboard, computer, laptop, palmtop, mobile phone and many others. In the fourth version of this standard, energy consumption was reduced considerably, at the expense of lower transfer costs, and real operating coverage increased.

Wi-Fi network

Dual-band Wi-Fi provides fast network access wherever you can connect to secured or open Wi-Fi networks. This is a convenient solution for people who have a work or residence router and a wireless network that can be used at no extra cost. The shock-resistant industrial tablet, the Emode I18H, is equipped with the latest 802.11n technology, which allows file transfer speeds up to 150 Mb/s.

Standards	802.11(a/b/g/n)
Frequencies	2.4G + 5.8G (Dual-Band)

APPLICATION

Trade and Services

Thanks to their size and light weight, tablet and smartphone data collectors are a useful tool for sales representatives. Today's applications running under the collector system enable even entering the data collector's contractor database, which allows us to later search for it quickly by name or NIP number. We can do the same with our commodity base, which can work in parallel with the database of contractors. Additional use of collectors in the trade, such as sending orders or invoices directly to the company through the GSM network or Wi-Fi.



Industry and Construction

Industrial tablets and data collectors are characterized by high resistance to adverse working conditions. Tightness, dust and water resistance of enclosures, certified by IP (dust and water resistance standards) and often MIL-STD military standard, can withstand even the harshest conditions in industrial infrastructure or on the construction site. With appropriate applications, collectors can be used for control and control of various industrial processes, as well as for data collection and analysis.



Warehouse

An industrial data sheet is the ideal solution for quick stocktaking. In addition, depending on the software used, it streamlines the process of entering and

delivering goods into the warehouse, enables price control and dispensing, helps to collect and order orders, and identifies customers and servicing the rental. The advantages of using data collectors are undoubtedly: time savings, customer satisfaction thanks to the correct price and speed of operation.



AVAILABLE VERSIONS AND ACCESSORIES

The industry-leading Senter S917V9 tablet is available in several versions to suit different needs. By clicking on the hardware configuration number you will be redirected to the product with the parameters given in the table below. In addition, on request, you can create a configuration not currently available in the offer.

	v.1	v.2	v.3	v.4	v.5	v.6	v.7	v.8	v.9	v.10
NFC										
2D Honeywell N6603	—		—	—	—	—	—			
LF RFID 134.2kHz	—	—		—	—	—	—		—	—

LF RFID 125kHz	—	—	—		—	—	—	—		—
UHF RFID 865- 868MHz	—	—	—	—		—	—	—	—	
UHF RFID 902- 928MHz	—	—	—	—	—		—	—	—	—
High precision GPS	—	—	—	—	—	—		—	—	—
Screen 1000 Nits	—	—	—	—	—	—	—	—	—	—
	v.11	v.1.1	v.12	v.13	v.14	v.15	v.2.1	v.7.1	v.9.1	v.10.1
NFC										
2D Honeywell N6603		—						—		
LF RFID 134.2kHz	—	—		—	—	—	—	—	—	—
LF RFID 125kHz	—	—	—		—	—	—	—		—
UHF RFID 865- 868MHz	—	—	—	—		—	—	—	—	
UHF RFID 902- 928MHz		—	—	—	—		—	—	—	—
High precision GPS	—	—					—		—	—
Screen 1000 Nits	—		—	—	—	—				
	v.15.1									

NFC	
2D Honeywell N6603	
LF RFID 134.2kHz	—
LF RFID 125kHz	—
UHF RFID 865- 868MHz	—
UHF RFID 902- 928MHz	
High precision GPS	
Screen 1000 Nits	

We also offer a number of extra accessories for this tablet to further enhance its functionality and comfort. Below is a list of available accessories. Click on the "Check" link to go to the description page and the price of the accessory.

Wrist holder



The wrist strap increases the comfort and confidence of holding the

tablet during long-term work.

[Check](#)

USB OTG cable



The OTG cable allows you to connect some peripherals to the device, such as a mouse, USB flash drive or keyboard.

[Check](#)

Docking Station



The docking station allows you to easily and conveniently charge your tablet.

[Check](#)

Car charger



It allows you to charge the device in the car using the built-in cigarette lighter socket.

[Check](#)

USB adapter - RJ45



It allows you to connect the tablet to a wired network using a standard LAN cable.

[Check](#)

Shoulder belt



The shoulder strap allows you to comfortably carry the device over your shoulder.

[Check](#)

Car holder



The car holder ensures a stable mounting of the tablet in the car.

Check

Additional charger



Additional charger for the Seneter S917V9 tablet.

Check

Capacitive stylus



Capacitive stylus for easy tablet operation.

Check



More pictures of the device available in the
["Gallery"](#)
tab.