



Waterproof Storage Tablet i-Mobile Android IMT-863 v.7

| | |
|--------------------------|----------------------------------------------------------------------------|
| Category: | UMPC - Ruggedized |
| Operating System: | Android 8.1 |
| Display: | 8" (1024 x 768) |
| Brightness: | 350Nits (Option 700Nits) |
| Processor: | Octa-core ARM Cortex-A53 (2.3 GHz + 1.8 GHz) |
| Memory: | 2GB DDR2 |
| Hard Drive: | ----- |
| Flash Memory: | 16GB EMMC |
| Touch screen: | Capacitive |
| Durability: | IP65 |
| Drop: | 1,2m |
| Shock: | MIL-STD-810G |
| Vibration: | MIL-STD-810G |
| Temperature: | Operating temperature: -10°C -- 50°C Storage temperature: -20°C -- 70°C |
| Humidity: | 0% -- 99% |

| | |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1D barcode scanner (reader): | UART INTERFACE |
| 2D barcode scanner (reader): | UART INTERFACE |
| RFID scanner (reader): | Option |
| Other: | ----- |
| Battery: | 11,1V 3100mAh Lithium (Option 11,1V 6800mAh Lithium) |
| Working time on battery: | 6h |
| Fast battery replacement ability: | No |
| HotSwap battery: | No |
| LAN: | Yes |
| WLAN: | IEEE 802.11 b/g/n |
| Bluetooth: | Bluetooth 4.0 |
| WAN: | WCDMA 900/2100MHZ / HSPA 7.2/5.76Mbps, 3GPP R6/GSM/GPRS/EDGE: 850/900/1800/1900 MHZ / LTE-FDD:B1,2,3,5,7,8,20; LTE- TDD:B34,38,39,40,41 |
| GPS: | Yes |
| Camera: | Option |
| In/Out: | USB 2.0 Micro SD RS232 RJ-45 DC SCR |
| Optional accessories: | Hand Strap Additional external battery 6800mAh Vehicle & Wall mount VESADocking station Vehicle charger 12V Vehicle charger 12V-36V Station battery charger |
| Docking station connector: | Yes |
| VESA standard – holders and mounts support: | Yes |
| COM port: | Yes |
| Magnetic card reader (MSR): | Option |
| Microchip card reader: | Option |
| Contrast: | ----- |
| Graphics card: | ----- |
| Chipset: | ----- |
| BIOS: | ----- |

| | |
|----------------------------------------|---------------------------------|
| Casing material: | ----- |
| Flash Card Reader: | micro SD |
| CD/DVD: | ----- |
| Audio: | Built-in microphone and speaker |
| Keyboard: | Onscreen |
| Additional Navigation Devices : | ----- |
| Color: | Black |
| Swivel Hinge: | ----- |
| VGA out: | No |
| TV Out: | ----- |
| TV Tuner: | No |
| Security: | ----- |
| Waterproof: | IPX5 |
| Sand and dust: | IP6X |
| Size: | 251mm x 181mm x 39mm - 1200g |
| Fanless casing: | Yes |

Product from the Archive - production finished



SPECIFICATION

RESISTANCE

WIRELESS COMMUNICATION

FUNCTIONALITY

APPLICATION

AVAILABLE VERSIONS AND ACCESSORIES

i-Mobile IMT-863 is a modern, waterproof industrial tablet designed for extreme applications. It has a specially designed, reinforced construction that

meets the requirements of IP65, which confirms the protection of the device against dust and water. Like the military equipment, the tablet has the MIL-STD 810 military standard.

SPECIFICATION

| i-Mobile IMT-863 | |
|------------------|------------------------------------------|
| Processor | Cortex - A53 (2.3 GHz + 1.8 GHz) |
| Graphics | — |
| Operating system | Android 8.1 |
| RAM | 2GB DDR2 |
| ROM | 16GB EMMC |
| Display | 8", 1024 x 768 |
| Touch screen | Capacitive |
| Battery | 11.1V/3100mAh(Option 6800mAh) |
| Camera | 8Mpx Rear + Flash* |
| Protection | IP65 1.2m. drops |
| Communication | 4G Bluetooth GSM LTE Wi-Fi GPS |
| Connectors | USB Micro USB RS-232 DC in RJ-45 |
| Memory card | Micro SD |
| SIM card | SIM |
| RFID Reader | UHF * HF * |
| 1D Scanner | MOTOROLA SE4500 (1D/2D - IMAGER) |

i-Mobile IMT-863

2D Scanner

MOTOROLA SE4500 (1D/2D - IMAGER)

*

Optional equipment, available on specific versions only.

[go top...](#)



Detailed device specification is available in the "Technical data" tab.

Dustproof industrial tablet i-Mobile IMT-863 was equipped with high performance, energy-efficient ARM Cortex-A53 processor. Inside, there are eight cores that allow for more efficient processing of multiple tasks simultaneously. Shared caching, which uses a multi-level hierarchy, is dynamically allocated to each processor core according to the load. This reduces the average access time to main memory. Enhanced graphics card technology lets you enjoy full HD video and movies. Low power consumption guarantees long battery life.

Ergonomic design



i-Mobile IMT-863 industrial tablet is designed for resistance and convenience. The sleek and rugged 39mm thick design and stylish case will make the tablet very well suited for industrial use and more. The unique size has been carefully thought out to make the device more comfortable and ergonomic. The non-slip casing makes it safe and secure to hold it in your hand, and the rubber corners further protect your device against possible damage as a result of falls.

| | |
|-------------------|----------------------|
| Dimensions | 251mm x 181mm x 39mm |
| Net weight | 1200g |

Capacitive screen



With the capacitive screen, the reaction of the device is not to directly press the screen, but to change the electrostatic field at the point where the device is touched. This allows for much more precise handling and gentle brushes on the screen. In addition, we can use multitouch technology, the ability to control our tablet or the collector with a few fingers at once.



[go top...](#)








RESISTANCE



IP65 Protection

The IP standard defines the degree of protection provided by the enclosure of an electrical device against such factors as: access to dangerous parts inside the enclosure, penetration of foreign matter, splashing or immersion.

| The first digit [x] Protection against solid objects | Protection Level | The second digits [y] Protection against liquids |
|-------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------|
| No special protection | 0  0 | No special protection |
| Protection from solid objects greater than 50mm in diameter | 1  1 | Protection from dripping water |

| The first digit [x] Protection against solid objects | Protection Level | The second digits [y] Protection against liquids |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------|
| Protection from object not greater than 12mm in diameter |  | Protection from vertically dripping water (tilted up to 15°) |
| Protection from object not greater than 2,5mm in diameter |  | Protection from sprayed water (tilted up to 60°) |
| Protection from object not greater than 1mm in diameter |  | Protection from splashed water |
| Complete protection against contact, Protection against dust deposit |  | Protection from water projected from a nozzle |
| Complete protection against contact, Protection from infiltration of dust |  | Protection against heavy seas, or powerful jets of water |
| |  | Protection against immersion |
| |  | Protection against complete, continuous submersion in water |

MIL-STD 810 Standard

The MIL-STD-810 is a strict military standard used in the United States Army. It determines the immunity of the equipment to severe environmental and weather conditions such as extreme low and high temperatures, temperature changes, rain or dust, as well as various accidents (shocks, floods, high altitude falls, etc.). Although the MIL-STD-810 is mainly used for military equipment, it is often used by private companies that produce equipment that requires unmatched durability.

1.2m drop resistance

Specially designed construction gives the machine a chance of accidental falls from up to 1.2 meters in operating mode, even on hard surfaces. In addition, the tablet screen is protected by specially tempered glass Gorilla Glass.

Extreme temperatures

i-Mobile IMT-863 is suitable for continuous operation in both low and high temperatures in the range of -10 ° C to 50 ° C. When the device is off, it can handle temperatures ranging from -20 ° C to 70 ° C. In addition, the rugged industrial tablet performs well in rooms with increased humidity, ensuring proper operation even with 99% relative humidity.

| | |
|----------------------|---------------|
| Working Temp. | -10°C to 50°C |
| Storage Temp. | -20°C do 70°C |
| Humidity | 0% do 99% |



[go top...](#)

WIRELESS COMMUNICATION

GPS Navigation

Waterproof tablet i-Mobile IMT-863 is equipped with a professional GPS module combining low power consumption with high accuracy. Navigation is fast and smooth, allowing you to easily and easily reach any destination.

Bluetooth 4.0

Bluetooth enables wireless short-range communication between various electronic devices, such as the keyboard, computer, laptop, palmtop, mobile phone and many others. In the fourth version of this standard, energy consumption was reduced considerably, at the expense of lower transfer costs, and real operating coverage increased.

Wi-Fi network

Dual-band Wi-Fi provides fast network access wherever you can connect to secured or open Wi-Fi networks. This is a convenient solution for people who have a work or residence router and a wireless network that can be used at no extra cost. The shock-resistant industrial tablet, is equipped with the latest 802.11n technology, which allows file transfer speeds up to 150 Mb/s.

| | |
|--------------------|---------------|
| Standards | 802.11(b/g/n) |
| Frequencies | 2.4GHz |



[go top...](#)

FUNCTIONALITY

Barcode Scanner

Quick and accurate identification of the object relieves the warehouseman and does not create a bottleneck in logistics processes. 2D barcode reader allows you to read, decode and send to your data stored in the bar code. With dynamic scanning capabilities and wide range of reading-Mobile device and IMT863 quickly and accurately retrieves the data, which helps to increase the rate and efficiency. You can jump-start a whole because with simplified installation procedure and intuitive, comfortable design to prepare the scanner to work is very easy.

RFID (Optional)

RFID technology has aroused great worldwide interest. Is expected to solve many of the problems with fast and faultless identification of people and equipment. Its development is more turbulent than gradually Introduced

APPLICATION

Trade and Services

Thanks to their size and light weight, tablet and smartphone data collectors are a useful tool for sales representatives. Today's applications running under the collector system enable even entering the data collector's contractor database, which allows us to later search for it quickly by name or NIP number. We can do the same with our commodity base, which can work in parallel with the database of contractors. Additional use of collectors in the trade, such as sending orders or invoices directly to the company through the GSM network or Wi-Fi.



Industry and Construction

Industrial tablets and data collectors are characterized by high resistance to adverse working conditions. Tightness, dust and water resistance of enclosures, certified by IP (dust and water resistance standards) and often MIL-STD military standard, can withstand even the harshest conditions in industrial infrastructure or on the construction site. With appropriate applications, collectors can be used for control and control of various industrial processes, as well as for data collection and analysis.



Warehouse

An industrial data sheet is the ideal solution for quick stocktaking. In addition, depending on the software used, it streamlines the process of entering and delivering goods into the warehouse, enables price control and dispensing, helps to collect and order orders, and identifies customers and servicing the rental. The advantages of using data collectors are undoubtedly: time savings, customer satisfaction thanks to the correct price and speed of operation.



[go top...](#)

AVAILABLE VERSIONS AND ACCESSORIES

The

industry-leading

i-Mobile IMT-863 tablet is available in several versions to suit different needs. By clicking on the hardware configuration number you will be redirected to the product with the parameters given in the table below. In addition, on request, you can create a configuration not currently available in the offer.



More photos in full resolution available in the "Gallery" tab.

| | v.1 | v.2 | v.3 | v.4 | v.5 | v.6 | v.7 | v.8 | v.9 |
|------------------------|------|------|------|------|------|------|------|------|------|
| Aparat tył/Camera rear | — | | — | | | | | | |
| RFID HF | — | — | | | — | — | | — | — |
| RFID UHF | — | — | — | — | | | | — | — |
| Scanner/scanner 2D | — | — | — | — | — | — | — | — | |
| Smart Card Reader | — | — | — | — | — | — | — | — | — |
| MSR | — | — | — | — | — | — | — | — | — |
| 16 GB eMPC | | | | | | — | | | |
| 32 GB eMPC | — | — | — | — | — | | — | — | — |
| | v.10 | v.11 | v.12 | v.13 | v.14 | v.15 | v.16 | v.17 | v.18 |
| Aparat tył/Camera rear | | | | | | | | | |
| RFID HF | | | — | — | — | | | | |
| RFID UHF | — | — | — | — | | | — | | |
| Scanner/scanner 2D | | | | | | | | | |
| Smart Card Reader | — | — | — | | — | — | | | |
| MSR | — | — | | — | — | — | | | |
| 16 GB eMPC | | — | | | — | — | | | — |
| 32 GB eMPC | — | | — | — | | | — | — | |